

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.10

Revision Date 16.02.2024

Print Date 10.05.2024

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Dimethyl sulfoxide

Product Number : D2650

Brand : Sigma

REACH No. : 01-2119431362-50-XXXX

CAS-No. : 67-68-5

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

### 1.3 Details of the supplier of the safety data sheet

Company : Merck Life Science S.r.l.  
Via Monte Rosa 93  
I-20149 MILANO

Telephone : +39 02 3341 7340

Fax : +39 02 3801 0737

E-mail address : serviziotecnico@merckgroup.com

### 1.4 Emergency telephone

Emergency Phone # : 800-789-767 (CHEMTREC Italia)  
+39-02-4555-7031 (CHEMTREC chiamate internazionali)  
+39 02-6610-1029 (Centro Antiveleni Niguarda Ca' Granda - Milano)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

### 2.2 Label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required



### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Rapidly absorbed through skin.

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms : DMSO  
Methyl sulfoxide

Formula : C<sub>2</sub>H<sub>6</sub>OS  
Molecular weight : 78,13 g/mol  
CAS-No. : 67-68-5  
EC-No. : 200-664-3

No components need to be disclosed according to the applicable regulations.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available



---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Sulfur oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

### 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemisorb®). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### Hygiene measures

Change contaminated clothing. Wash hands after working with substance.



For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed.

Store under inert gas. hygroscopic

### Storage class

Storage class (TRGS 510): 10: Combustible liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

### 8.2 Exposure controls

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Chloroprene

Minimum layer thickness: 0,65 mm

Break through time: 480 min

Material tested:KCL 720 Camapren®

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Latex gloves

Minimum layer thickness: 0,6 mm

Break through time: 240 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)



### Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### Control of environmental exposure

Do not let product enter drains.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

a) Physical state	clear, liquid
b) Color	clear
c) Odor	odorless
d) Melting point/freezing point	Melting point/range: 16 - 19 °C
e) Initial boiling point and boiling range	189 °C
f) Flammability (solid, gas)	No data available
g) Upper/lower flammability or explosive limits	Upper explosion limit: 28,5 %(V) Lower explosion limit: 2,6 %(V)
h) Flash point	87 °C - closed cup - ASTM D 93
i) Autoignition temperature	300 - 302 °C at 1.013 hPa
j) Decomposition temperature	> 190 °C
k) pH	Not applicable
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 2,14 mPa.s at 20 °C
m) Water solubility	completely miscible
n) Partition coefficient: n-octanol/water	log Pow: -1,35 at 20 °C - Bioaccumulation is not expected.
o) Vapor pressure	0,55 hPa at 20 °C
p) Density	1,1 g/mL
Relative density	No data available
q) Relative vapor density	No data available
r) Particle	No data available



characteristics

- s) Explosive properties No data available
- t) Oxidizing properties none

## 9.2 Other safety information

Surface tension 43,5 mN/m at 20 °C

Dissociation constant 35,1

Relative vapor density 2,70 - (Air = 1.0)

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.  
A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Risk of explosion with:

acetylidene  
organic halides  
perchlorates  
Acid chlorides  
nonmetallic halides  
iron(III) compounds  
nitrates  
fluorides  
chlorates  
hydrides  
perchloric acid  
Oxides of phosphorus  
Nitric acid  
silver compounds  
silicon compounds  
silanes

acid halides

Exothermic reaction with:

boron compounds  
oxyhalogenic compounds  
Potassium  
sodium  
Strong oxidizing agents  
phosphorus halides  
strong reducing agents  
Acid chlorides  
Strong acids

Sigma- D2650

Page 6 of 12

The life science business of Merck operates as MilliporeSigma in the US and Canada



silver salt  
nitrogen dioxide  
Risk of ignition or formation of inflammable gases or vapours with:  
potassium permanganate

#### **10.4 Conditions to avoid**

Strong heating.

#### **10.5 Incompatible materials**

No data available

#### **10.6 Hazardous decomposition products**

In the event of fire: see section 5

---

### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

##### **Acute toxicity**

LD50 Oral - Rat - male and female - 28.300 mg/kg  
(OECD Test Guideline 401)

LC0 Inhalation - Rat - male and female - 4 h - > 5,33 mg/l - dust/mist

(OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - 40.000 mg/kg

Remarks: (ECHA)

##### **Skin corrosion/irritation**

Skin - Rabbit

Result: slight irritation - 4 h

(OECD Test Guideline 404)

##### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: slight irritation - 24 h

(OECD Test Guideline 405)

##### **Respiratory or skin sensitization**

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

##### **Germ cell mutagenicity**

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: sister chromatid exchange assay

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Sigma- D2650

Page 7 of 12

The life science business of Merck operates as MilliporeSigma in the US and Canada



Method: OECD Test Guideline 479  
Result: negative  
Test Type: Mutagenicity (mammal cell test): chromosome aberration.  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat

Application Route: Intraperitoneal  
Method: OECD Test Guideline 474  
Result: negative

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

**Endocrine disrupting properties**

**Product:**

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 18 Months - NOAEL (No observed adverse effect level) - 3.300 mg/kg - LOAEL (Lowest observed adverse effect level) - 9.900 mg/kg

Repeated dose toxicity - Monkey - male and female - Dermal - 18 Months - NOAEL (No observed adverse effect level) -  $\geq$  8.910 mg/kg - LOAEL (Lowest observed adverse effect level) - 990 mg/kg

RTECS: PV6210000

Exposure to large amounts can cause: redness of skin, Itching, burning, sedation, Headache, Nausea, Dizziness





To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish	static test LC50 - Danio rerio (zebra fish) - > 25.000 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 24.600 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 17.000 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	EC50 - activated sludge - 10 - 100 mg/l - 30 min (ISO 8192)

### 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 28 d Result: 31 % - Not readily biodegradable. (OECD Test Guideline 301D)
------------------	---

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

### 12.7 Other adverse effects

Stability in water	- 0,12 - 1,2 h at 30 °C pH 7 Remarks: Hydrolyzes readily.
--------------------	--





---

## SECTION 16: Other information

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).



Sigma- D2650

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 12 of 12

