

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)
Classification according to Regulation (EC) No. 1272/2008 [CLP]

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product code	P36961
Product name	ProLong® Diamond Antifade Mountant (5x2mL)
Unique Formula Identifier (UFI)	Not Applicable
Chemical Name	Not Applicable
REACH registration number	No registration number is given yet for this substance / substances in this mixture since the annual import quantity is less than one tonnage per annum or the transition period for its registration according to Article 23 of REACH has not yet expired.

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	For research use only
Use Description Code	SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen), PROC15 - Use as laboratory reagent, PC21 - Laboratory chemicals, SU24 - Scientific research and development
Uses advised against	Not for consumer use.

Details of the supplier of the safety data sheet

Manufacturer / Supplier

LIFE TECHNOLOGIES EUROPE BV
KWARTSWEG 2
2665 NN BLEISWIJK
NETHERLANDS
31-(0)180 392 400
Email: MSDS@lifetech.com

Life Technologies Limited
3 Fountain Drive
Inchinnan Business Park
Paisley
PA4 9RF, UK
+44 (0)141 814 6100

Emergency telephone number

Revision number 5
Product code P36961

Revision date 17-Jun-2022
Product name ProLong® Diamond Antifade Mountant (5x2mL)

24 hour Emergency Response for Hazardous Materials Within the USA + Canada: 1-800-424-9300 and
[or Dangerous Goods] Incident. Spill, Leak, Fire, 1-703-527-3887
Exposure, or Accident. Call CHEMTREC Outside the USA + Canada: 1-703-741-5970

Country Specific Emergency Number (if available):

CHEMTREC Ireland (Dublin) +(353)-19014670 (Greeting Language: English and Irish)
CHEMTREC UK (London) +(44)-870-8200418 (Greeting Language: English)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Physical hazards

Not Hazardous

Health hazards

Not Hazardous

Environmental hazards

Not Hazardous

Additional information

Not Applicable

Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms

No Pictogram

Signal Word

None

Hazard Statements

Not Applicable

Precautionary Statements

Prevention

Not Applicable

Response

Not Applicable

Storage

Not Applicable

Disposal

Not Applicable

Other hazards

Revision number 5
Product code P36961

Revision date 17-Jun-2022
Product name ProLong® Diamond Antifade Mountant (5x2mL)

Not Applicable

SECTION 3: Composition/information on ingredients

Mixtures

Chemical Name	CAS No	EINECS-No.	Weight-%	REACH registration number	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Glycerin	56-81-5	200-289-5	20-30	01-2119471987-18-XXXX	Not classified
Hydroquinone	123-31-9	204-617-8	<0.1	-	Carc. 2 - H351 Muta. 2 - H341 Acute Tox. 4 - H302 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400

Chemical Name	Specific concentration limit (SCL)	M-Factor	Acute Toxicity Estimate
Glycerin	-	-	-
Hydroquinone	-	10	-

SECTION 4: First aid measures

Description of first aid measures

Skin contact	Rinse skin with water. Immediate medical attention is not required.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Ingestion	Not expected to present a significant ingestion hazard under anticipated conditions of normal use. If you feel unwell, seek medical advice.
Inhalation	Not expected to be an inhalation hazard under anticipated conditions of normal use of this material. Consult a physician if necessary.
Notes to Physician	Treat symptomatically.

Most important symptoms and effects, both acute and delayed

Not Applicable

Indication of any immediate medical attention and special treatment needed

None.

Revision number 5
Product code P36961

Revision date 17-Jun-2022
Product name ProLong® Diamond Antifade Mountant (5x2mL)

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Water spray. Carbon dioxide (CO₂). Foam. Dry chemical.

Unsuitable extinguishing media

No information available.

Special hazards arising from the substance or mixture

No data

Advice for firefighters

Standard procedure for chemical fires.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Always wear recommended Personal Protective Equipment

Use personal protection equipment

See section 8 for more information

Environmental precautions

Avoid release to the environment.

Methods and material for containment and cleaning up

Soak up with inert absorbent material.

Reference to other sections

See section 8 for more information.

SECTION 7: Handling and storage

Precautions for safe handling

Use personal protective equipment as required. No special handling advices are necessary.

Conditions for safe storage, including any incompatibilities

Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers.

Specific end use(s)

For research use only.

SECTION 8: Exposure controls/personal protection

Control parameters

Chemical Name	EU OEL (TWA)	EU OEL (STEL)	EU Skin Notation
Glycerin 56-81-5	None	None	None
Hydroquinone 123-31-9	None	None	None

Chemical Name	Austria	Belgium (TWA)	Czech Republic
Glycerin 56-81-5	None	10 mg/m ³	10 mg/m ³ TWA 15 mg/m ³ Ceiling
Hydroquinone 123-31-9	2 mg/m ³	1 mg/m ³	2 mg/m ³ TWA 4 mg/m ³ Ceiling Irritant Potential for cutaneous absorption Sensitizer

Chemical Name	Denmark (TWA)	Finland OEL (TWA)	France OEL (VME)
Glycerin 56-81-5	None	None	10 mg/m ³
Hydroquinone 123-31-9	None	0.5 mg/m ³	2 mg/m ³

Chemical Name	Germany OEL (TWA)	Ireland (TWA)	Italy OEL (TWA)
Glycerin 56-81-5	200 mg/m ³ exposure factor 2	None	None
Hydroquinone 123-31-9	None	0.5 mg/m ³	None

Chemical Name	Lithuania OEL (TWA)	Netherlands OEL (MAC)	Norway
Glycerin 56-81-5	None	None	None
Hydroquinone 123-31-9	0.5 mg/m ³	None	0.5 mg/m ³ TWA 1.5 mg/m ³ STEL

Chemical Name	Poland	Portugal	Spain OEL (TWA)
Glycerin 56-81-5	10 mg/m ³ TWA	10 mg/m ³ TWA	10 mg/m ³
Hydroquinone 123-31-9	1 mg/m ³ TWA 2 mg/m ³ STEL	1 mg/m ³ TWA Sensitizer A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans	2 mg/m ³

Chemical Name	Sweden - Occupational Exposure Limits - TLVs (LLVs)	Switzerland	United Kingdom
Glycerin 56-81-5	None	100 mg/m ³ STEL 50 mg/m ³ TWA	10 mg/m ³ TWA (mist)
Hydroquinone 123-31-9	0.5 mg/m ³ TLV NGV	2 mg/m ³ STEL 2 mg/m ³ TWA	0.5 mg/m ³ TWA

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Exposure controls

Personal protection equipment

Respiratory protection In case of insufficient ventilation wear respirators and components tested and

Revision number 5
Product code P36961

Revision date 17-Jun-2022
Product name ProLong® Diamond Antifade Mountant (5x2mL)

approved under appropriate government standards.

Hand protection Wear suitable gloves Glove material: Compatible chemical-resistant gloves.

Eye protection Tight sealing safety goggles.

Skin and Body Protection Wear suitable protective clothing.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Solution	
Colour	No data	
Odour	No data	
Molecular Weight	No data	
Melting point / melting range	°C No data	°F No data
Boiling point / boiling range	°C No data	°F No data
Flammability (solid, gas)	No data	
Lower explosion limit	No data	
Upper explosion limit	No data	
Flash point	°C No data	°F No data
Autoignition Temperature	°C No data	°F No data
Decomposition temperature	°C No data	°F No data
pH	6-8	
Evaporation rate	No data	
Viscosity	No data	
Solubility	No data	
Partition coefficient: n-octanol/water	No data	
Vapour Pressure	No data	
Specific gravity	No data	
Relative density	No data	
Vapour density	No data	
Explosive properties	No data	
Oxidising properties	No data	
Particle characteristics	No data	

Other information

Information with regards to physical hazard classes

No information available

Other safety characteristics

No information available

SECTION 10: Stability and reactivity

Reactivity	None known.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	Hazardous reaction has not been reported.
Conditions to avoid	None under normal processing.
Incompatible materials	No dangerous reaction known under conditions of normal use.
Hazardous decomposition products	No data available.

SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Glycerin	= 12600 mg/kg (Rat)	> 10 g/kg(Rabbit)	>570mg/m ³ (Rat)
Hydroquinone	= 298 mg/kg (Rat)	= 74800 mg/kg(Rabbit)	No data available

Principal Routes of Exposure

Skin corrosion/irritation	Data are conclusive but insufficient for classification
Serious eye damage/irritation	Data are conclusive but insufficient for classification
Respiratory or skin sensitisation	Data are conclusive but insufficient for classification
Specific target organ toxicity (STOT) – single exposure	Data are conclusive but insufficient for classification
Specific target organ toxicity (STOT) – repeated exposure	Data are conclusive but insufficient for classification
Carcinogenicity	Data are conclusive but insufficient for classification
Germ cell mutagenicity	Data are conclusive but insufficient for classification
Reproductive Toxicity	Data are conclusive but insufficient for classification
Aspiration Hazard	Data are conclusive but insufficient for classification

Information on other hazards

Endocrine disrupting properties

No information available

Other information

No information available

SECTION 12: Ecological information

Toxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates	Toxicity to fish	Microtox Data	log Pow
Glycerin	No data available	No data available	No data available	No data available	logPow-1.75
Hydroquinone	Pseudokirchneriella subcapitata EC50=0.335 mg/L (72 h)	Daphnia magna EC50=0.29 mg/L (48 h)	No data available	No data available	logPow0.59

Persistence and degradability No information available.

Bioaccumulative potential No information available.

Mobility in soil No information available.

Results of PBT and vPvB assessment

No information available.

Endocrine disrupting properties

This product does not contain any known or suspected endocrine disruptors

Other adverse effects

No information available.

SECTION 13: Disposal considerations

Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in accordance with approved disposal technique. Disposal of this product, its solutions or of any by-products, shall comply with the requirements of all applicable local, regional or national/federal regulations.

SECTION 14: Transport information

IATA / ADR / DOT-US / IMDG

Not classified as dangerous in the meaning of transport regulations

UN number or ID number	Not Applicable
UN proper shipping name	Not Applicable
Transport hazard class(es)	Not Applicable
Packing group	Not Applicable

Revision number 5
Product code P36961

Revision date 17-Jun-2022
Product name ProLong® Diamond Antifade Mountant (5x2mL)

Marine pollutant

No

Special precautions for user

Not Applicable

Maritime transport in bulk according to IMO instruments

Not Applicable.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture**Substances of Very High Concern**

None

Substance subject to authorisation per REACH Annex XIV

None

Restricted substances under EC 1907/2006, Annex XVII

Chemical Name	Weight-%	EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances
Hydroquinone	<0.1	Use restricted. See item 75.

Regulation (EC) No 649/2012 (Rotterdam Convention - export/import of dangerous chemicals)

None

Regulation (EU) No 2019/1021 (Stockholm Convention – persistent organic pollutants)

None

EU - Substances Depleting the Ozone layer (1005/2009)

None

German Water hazard classes (Wassergefährdungsklassen)

Chemical Name	Weight-%	Water hazard class (WGK)
Glycerin	20-30	hazard class 1 - slightly hazardous to water
Hydroquinone	<0.1	hazard class 3 - highly hazardous to water

Other International Inventories

Chemical Name	EINECS (European Union)	ELINCS (European List of Notified Chemical Substances)	ENCS (Japan)	PICCS (Philippines)

Revision number 5
 Product code P36961

Revision date 17-Jun-2022
 Product name ProLong® Diamond Antifade Mountant (5x2mL)

Glycerin	Listed	-	Listed	Listed
Hydroquinone	Listed	-	Listed	Listed

Chemical Name	AICS (Australia)	South Korea (KECL)	Canada (DSL)	NDSL
Glycerin	Listed	Listed	Listed	-
Hydroquinone	Listed	Listed	Listed	-

Chemical safety assessment

No Chemical safety assessment has been carried out.

Reason for revision Update according to Commission Regulation EU No. 2020/878
Revision number 5
Revision date 17-Jun-2022

References

- ECHA: <http://echa.europa.eu/>
- TOXNET: <http://toxnet.nlm.nih.gov/>
- eChemPortal: <http://www.echemportal.org/>
- LOLI database: <https://www.chemadvisor.com/loli-database>

Classification and procedure used to derive the classification for mixtures according to Regulation (EC)**1272/2008 [CLP]:**

Not classified

Abbreviations and acronyms**TWA** - Time-Weighted Average**OELs** - Occupational Exposure Limits**STEL** - Short Term Exposure Limit**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**KECL** - Korean Existing and Evaluated Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances**NZIoC** - New Zealand Inventory of Chemicals**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**CEPA** - Canadian Environmental Protection Act**EPA** - Environmental Protection Agency**OSHA** - Occupational Safety and Health Administration of the US Department of Labour**IATA** - International Air Transport Association**DOT** - Department of Transportation**IMDG** - International Maritime Dangerous Goods**ACGIH** - American Conference of Governmental Industrial Hygienists**NIOSH** - National Institute for Occupational Safety and Health**AIHA** - American Industrial Hygiene Association**HMIS** - Department of Defense Hazardous Materials Information System**NTP** - National Toxicology Program**IARC** - International Agency for Research on Cancer

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006

"The above information was acquired by diligent search and/or investigation and the recommendations are based on prudent application of professional judgment. The information shall not be taken as being all inclusive and is to be used only as a guide. All materials and mixtures may present unknown hazards and should be used with caution. Since the Company cannot control the actual methods, volumes, or conditions of use, the Company shall not be held liable for any damages or losses resulting from the handling or from contact with the product as described herein. THE INFORMATION IN THIS SDS DOES NOT CONSTITUTE A WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE"

Revision number 5
Product code P36961

Revision date 17-Jun-2022
Product name ProLong® Diamond Antifade Mountant (5x2mL)