www.sigmaaldrich.com

Sigma-Aldrich

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.6 Revision Date 29.02.2024 Print Date 08.05.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1** Product identifiers

Product name: 1,4-ButanediolProduct Number: 493732Brand: Sigma-AldrichREACH No.: 01-2119471849-20-XXXXCAS-No.: 110-63-4

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

## **1.3** Details of the supplier of the safety data sheet

Company	:	Merck Life Science S.r.l. Via Monte Rosa 93 I-20149 MILANO
Telephone Fax E-mail address		+39 02 3341 7340 +39 02 3801 0737 serviziotecnico@merckgroup.com

## **1.4 Emergency telephone**

Emergency Phone # : 800-789-767 (CHEMTREC Italia) +39-02-4555-7031 (CHEMTREC chiamate internazionali) +39 02-6610-1029 (Centro Antiveleni Niguarda Ca' Granda - Milano)

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Acute toxicity, (Category 4)H302: Harmful if swallowed.Specific target organ toxicity -<br/>single exposure, (Category 3),<br/>Central nervous systemH336: May cause drowsiness or dizziness.

Sigma-Aldrich- 493732

The life science business of Merck operates as MilliporeSigma in the US and Canada

A



## 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Pictogram

	$\mathbf{V}$	
Signal Word	Warning	
Hazard Statements H302 H336	Harmful if swallowed. May cause drowsiness or dizziness.	
Precautionary Statements		
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.	
P264	Wash skin thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P301 + P312	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.	
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.	
Supplemental Hazard Statements	none	
Paducad Labaling (<= 125 ml)		

#### Reduced Labeling (<= 125 ml) Pictogram

	$\mathbf{v}$
Signal Word	Warning
Hazard Statements	none
Precautionary Statements	none
Supplemental Hazard Statements	none

#### 2.3 **Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sigma-Aldrich- 493732

Page 2 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



## **SECTION 3: Composition/information on ingredients**

.1	<b>Substances</b> Synonyms		: 1,4-Butylene glycol Tetramethylene glycol		
	Formula Molecular weight CAS-No. EC-No.	: C <sub>4</sub> H <sub>10</sub> O <sub>2</sub> : 90,12 g/mol : 110-63-4 : 203-786-5			
	Component		Classification	Concentration	
	butane-1,4-diol				
	CAS-No. EC-No.	110-63-4 203-786-5	Acute Tox. 4; STOT SE 3; H302, H336	<= 100 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Sigma-Aldrich- 493732

Page 3 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



# **5.2** Special hazards arising from the substance or mixture Carbon oxides

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating.

### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

## 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

## SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Hygiene measures**

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

**Storage conditions** Tightly closed.

#### Storage class

Storage class (TRGS 510): 10: Combustible liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich- 493732

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 4 of 13

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Ingredients with workplace control parameters

#### **Derived No Effect Level (DNEL)**

Application Area	Routes of exposure	Health effect	Value
Workers	Skin contact	Long-term systemic effects	19mg/kg BW/d
Workers	Inhalation	Long-term systemic effects	136 mg/m3

#### Predicted No Effect Concentration (PNEC)

Compartment	Value	
Soil	0,244 mg/kg	
Sea water	0,0813 mg/l	
Fresh water	0,813 mg/l	
Sea sediment	0,361 mg/kg	
Fresh water sediment	3,61 mg/kg	
Onsite sewage treatment plant	1554 mg/l	
Aquatic intermittent release	8,13 mg/l	

#### 8.2 Exposure controls

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

Sigma-Aldrich- 493732

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 13

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

protective clothing

#### **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

#### SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

a)	Physical state	viscous
b)	Color	colorless
c)	Odor	No data available
d)	Melting point/freezing point	Melting point/range: 16 °C - lit.
e)	Initial boiling point and boiling range	230 °C - lit.
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	134 °C - closed cup
i)	Autoignition temperature	385 °C at 1.013 hPa
j)	Decomposition temperature	No data available
k)	рН	No data available
I)	Viscosity	Viscosity, kinematic: 83,2 mm2/s at 20 °C

Sigma-Aldrich- 493732

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 13

Viscosity, dynamic: No data available m) Water solubility 100 g/l at 25 °C - OECD Test Guideline 105- completely miscible n) Partition coefficient: log Pow: -0,88 at 25 °C - OECD Test Guideline 107 n-octanol/water 0,019 hPa at 25 °C - OECD Test Guideline 104 o) Vapor pressure 1,017 g/cm3 at 25 °C - lit. p) Density Relative density No data available q) Relative vapor No data available density No data available r) Particle characteristics

- s) Explosive properties No data available
- t) Oxidizing properties No data available

## 9.2 Other safety information

Relative vapor

Dissociation constant 14,5

density

### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

3,11 - (Air = 1.0)

#### **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

- 10.3 Possibility of hazardous reactions No data available
- 10.4 Conditions to avoid

Strong heating.

- **10.5 Incompatible materials** Strong oxidizing agents, Acid chlorides, Acid anhydrides, Reducing agents
- **10.6 Hazardous decomposition products**

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## **11.1 Information on toxicological effects**

## Acute toxicity

LD50 Oral - Rat - male and female - 1.500 mg/kg Remarks: (ECHA)

Sigma-Aldrich- 493732

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 13



Acute toxicity estimate Oral - 1.500 mg/kg (ATE value derived from LD50/LC50 value) LC50 Inhalation - Rat - male - 4 h - > 15 mg/l - aerosol

(OECD Test Guideline 433) LD50 Dermal - Rat - male and female - > 2.000 mg/kg Remarks: (ECHA)

#### Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h (Draize Test)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (Draize Test)

#### **Respiratory or skin sensitization**

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

#### Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

#### Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

#### **Specific target organ toxicity - single exposure** Inhalation - May cause drowsiness or dizziness. - Central nervous system

#### **Specific target organ toxicity - repeated exposure** No data available

**Aspiration hazard** No data available

Sigma-Aldrich- 493732

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 8 of 13

## **11.2 Additional Information**

## **Endocrine disrupting properties**

## Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male - Oral - 13 Weeks - NOAEL (No observed adverse effect level) - 225 mg/kg

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## SECTION 12: Ecological information

#### 12.1 Toxicity

Toxicity to fish	static test LC50 - Pimephales promelas (fathead minnow) - > $30.000$ mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 813 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - > 500 mg/l - 72 h (DIN 38412)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	static test NOEC - Daphnia magna (Water flea) - > 85 mg/l - 21 d (OECD Test Guideline 211)
	· · · · · · ·

#### 12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 14 d Result: 96 % - Readily biodegradable. (OECD Test Guideline 301C)

**12.3 Bioaccumulative potential** No data available

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at

Sigma-Aldrich- 493732

Page 9 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



levels of 0.1% or higher.

#### **12.6 Endocrine disrupting properties**

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

#### Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information			
<b>14.1 UN number</b> ADR/RID: -	IMDG: -	IATA: -	
<b>14.2UN proper shipping name</b> ADR/RID:ADR/RID:Not dangerous go IMDG:IMDG:Not dangerous go Not dangerous go	ods		
14.3 Transport hazard class(es ADR/RID: -	) IMDG: -	IATA: -	
14.4 Packaging group ADR/RID: -	IMDG: -	IATA: -	
14.5 Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no	
<ul> <li><b>14.6 Special precautions for user</b>         No data available         <b>Further information</b>         Not classified as dangerous in the meaning of transport regulations.     </li> </ul>			

Sigma-Aldrich- 493732

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 10 of 13



### **SECTION 15: Regulatory information**

## **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Authorisations and/or restrictions on use

: butane-1,4-diol

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

#### **Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

#### **Full text of H-Statements**

H302 Harmful if swallowed.H336 May cause drowsiness or dizziness.

Sigma-Aldrich- 493732

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 11 of 13

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- 493732

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 12 of 13

Sigma-Aldrich- 493732

The life science business of Merck operates as MilliporeSigma in the US and Canada

