Sigma-Aldrich.

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Version 6.15 Revision Date 14.03.2024 Print Date 09.05.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifiers**

 Product name	:	Hydrogen chloride solution 4.0 M in dioxane
Product Number Brand REACH No. CAS-No.	:	345547 SIGALD 01-2119484862-27-XXXX 7647-01-0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

#### **1.3** Details of the supplier of the safety data sheet

Company	:	Merck Life Science S.r.l. Via Monte Rosa 93 I-20149 MILANO
Telephone	:	+39 02 3341 7340
Fax	:	+39 02 3801 0737
E-mail address	:	serviziotecnico@merckgroup.com

#### **1.4 Emergency telephone**

Emergency Phone #	<ul> <li>800-789-767 (CHEMTREC Italia) +39-02-4555-7031 (CHEMTREC chiamate internazionali) +39 02-6610-1029 (Centro Antiveleni Niguarda Ca' Granda - Milano)</li> </ul>

### **SECTION 2: Hazards identification**

2.1	<b>2.1 Classification of the substance or mixture</b> Flammable liquids, (Category 2) H225: Highly flammable liquid and va		
	Corrosive to Metals, (Category 1)	H290: May be corrosive to metals.	
	Skin irritation, (Category 2)	H315: Causes skin irritation.	

SIGALD- 345547

Page 1 of 16



Eye irritation, (Category 2)

H319: Causes serious eye irritation.

Carcinogenicity, (Category 1B)

ory 1B) H350: May cause cancer.

Specific target organ toxicity single exposure, (Category 3), Respiratory system H335: May cause respiratory irritation.

### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008 Pictogram

Signal Word	Danger
Hazard Statements H225 H290 H315 H319 H335 H350	Highly flammable liquid and vapor. May be corrosive to metals. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May cause cancer.
Precautionary Statements	
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
Supplemental Hazard inform EUH019	mation (EU) May form explosive peroxides.

Restricted to professional users.

#### Reduced Labeling (<= 125 ml)

Pictogram

Signal Word

Danger

May cause cancer.

Hazard Statements H350 Precautionary Statements P202

Do not handle until all safety precautions have been read and understood.

SIGALD- 345547

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 2 of 16

IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard information (EU)EUH019May form explosive peroxides.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SECTION 3: Composition/information on ingredients

# 3.2 Mixtures

Component		Classification	Concentration	
<b>1,4-Dioxane</b> Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)				
CAS-No. EC-No. Index-No. Registration	123-91-1 204-661-8 603-024-00-5 01-2119462837-26- XXXX	Flam. Liq. 2; Eye Irrit. 2; Carc. 1B; STOT SE 3; H225, H319, H350, H335 Concentration limits: >= 20 %: STOT SE 3, H335;	>= 70 - < 90 %	
Hydrochloric Acid				
	7647-01-0 231-595-7 017-002-00-2 01-2119484862-27- XXXX	Met. Corr. 1; Skin Corr. 1B; Eye Dam. 1; STOT SE 3; H290, H314, H318, H335 Concentration limits: >= 0,1 %: Met. Corr. 1, H290; >= 25 %: Skin Corr. 1B, H314; 10 - < 25 %: Skin Irrit. 2, H315; 10 - < 25 %: Eye Irrit. 2, H319; >= 10 %: STOT SE 3, H335;	>= 10 - < 20 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SIGALD- 345547



# **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

# **General advice**

Show this material safety data sheet to the doctor in attendance.

# If inhaled

After inhalation: fresh air. Call in physician.

# In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

# In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

# If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides Hydrogen chloride gas Mixture with combustible ingredients. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

# 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# 5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SIGALD- 345547

Page 4 of 16



#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

- 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- 6.4 Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No metal containers.

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Test for peroxide formation periodically and before distillation.

#### Storage class

Storage class (TRGS 510): 3: Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SIGALD- 345547

Page 5 of 16



#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with workplace control parameters

#### 8.2 Exposure controls

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact Material: butyl-rubber Minimum layer thickness: 0,3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Chloroprene Minimum layer thickness: 0,6 mm Break through time: 30 min Material tested:Camapren® (KCL 722 / Aldrich Z677493, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Flame retardant antistatic protective clothing.

#### **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type ABEK

SIGALD- 345547

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 6 of 16

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

#### SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

TUI	ormation on basic pl	hysical and chemical properties
a)	Physical state	liquid
b)	Color	No data available
c)	Odor	No data available
d)	Melting point/freezing point	No data available
e)	Initial boiling point and boiling range	No data available
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	17 °C - closed cup
i)	Autoignition temperature	No data available
j)	Decomposition temperature	No data available
k)	рН	No data available
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	No data available
n)	Partition coefficient: n-octanol/water	No data available
o)	Vapor pressure	No data available
p)	Density	1,05 g/mL at 25 °C
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available

SIGALD- 345547

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 7 of 16

- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none
- 9.2 Other safety information

No data available

#### SECTION 10: Stability and reactivity

#### **10.1 Reactivity**

Formation of peroxides possible. Vapors may form explosive mixture with air.

#### **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions No data available

#### **10.4** Conditions to avoid

Warming. Moisture.

#### **10.5** Incompatible materials

Bases, Oxidizing agents, Alkali metals, Metals, Amines, Reducing agents, Oxygen, permanganates, for example potassium permanganate, Fluorine, hexalithium disilicide, Halogens, Perchlorates., TrimethylaluminumMetals

#### **10.6 Hazardous decomposition products**

Peroxides

In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Mixture

#### **Acute toxicity**

Oral: No data available Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract. Symptoms: Possible symptoms:, mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract Dermal: No data available

#### Skin corrosion/irritation

Remarks: Mixture causes skin irritation.

#### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye irritation.

#### **Respiratory or skin sensitization** No data available

#### Germ cell mutagenicity No data available

SIGALD- 345547

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 8 of 16



# Carcinogenicity

Possible carcinogen.

# **Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure** Mixture may cause respiratory irritation.

Specific target organ toxicity - repeated exposure No data available

**Aspiration hazard** No data available

#### **11.2 Additional Information**

#### **Endocrine disrupting properties**

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

# Components

#### 1,4-Dioxane

#### **Acute toxicity**

LD50 Oral - Rat - male and female - 5.150 mg/kg (OECD Test Guideline 401) Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Lung edema LD50 Dermal - Rabbit - 7.378 mg/kg Remarks: (RTECS)

# Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 20 h Remarks: (IUCLID) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

# Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation

SIGALD- 345547

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 9 of 16

(OECD Test Guideline 405) Remarks: (Regulation (EC) No 1272/2008, Annex VI)

#### Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (Regulation (EC) No. 440/2008, Annex, B.6)

#### Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Result: negative Remarks: (ECHA) Species: Rat - male - Liver cells Result: negative Remarks: (ECHA)

#### Carcinogenicity

Presumed to have carcinogenic potential for humans

#### **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure

May cause respiratory irritation. - Respiratory system Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Lung edema

#### Specific target organ toxicity - repeated exposure

# Aspiration hazard

No data available

#### **Hydrochloric Acid**

#### Acute toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Inhalation: Cough Difficulty in breathing

Symptoms: mucosal irritations, Cough, Shortness of breath, Inhalation may lead to the formation of oedemas in the respiratory tract., Possible damages:, damage of respiratory tract, tissue damage Dermal: No data available

#### Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE) Result: Corrosive

SIGALD- 345547

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 10 of 16



(OECD Test Guideline 431)

#### Serious eye damage/eye irritation

Eyes - Bovine cornea Result: Causes serious eye damage. - 10 min (OECD Test Guideline 437)

#### Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

#### Germ cell mutagenicity

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Result: Positive results were obtained in some in vitro tests. Remarks: (ECHA) Test Type: mitotic recombination assay Test system: Saccharomyces cerevisiae Result: negative Remarks: (ECHA) Test Type: Ames test Test system: mouse lymphoma cells Result: positive Remarks: (ECHA)

#### Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure

May cause respiratory irritation. - Respiratory system Acute oral toxicity - If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath,

Inhalation may lead to the formation of oedemas in the respiratory tract., Possible damages:, damage of respiratory tract, tissue damage

#### Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Aspiration hazard**

No aspiration toxicity classification

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

# Mixture

No data available

# 12.2 Persistence and degradability

No data available

SIGALD- 345547

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 11 of 16



# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties <u>Product:</u>

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# 12.7 Other adverse effects

No data available

#### Components

# 1,4-Dioxane

Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - > 1.000 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 1.000 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Pimephales promelas (fathead minnow) - > 103 mg/l - 32 d Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	NOEC - Daphnia magna (Water flea) - 1.000 mg/l - 21 d (OECD Test Guideline 211)
Hydrochloric Acid	
Toxicity to fish	LC50 - Gambusia affinis (Mosquito fish) - 282 mg/l - 96 h Remarks: (IUCLID)

SIGALD- 345547

Page 12 of 16



### **SECTION 13: Disposal considerations**

**13.1 Waste treatment methods** No data available

SECT	ION 14: T	ransport informa	tion	
14.1	<b>UN numb</b> ADR/RID:	•-	IMDG: 2924	IATA: 2924
14.2		FLAMMABLE LIQUI	D, CORROSIVE, N.O.S. (1,4-Dio D, CORROSIVE, N.O.S. (1,4-Dio corrosive, n.o.s. (1,4-Dioxane,	oxane, Hydrochloric Acid)
14.3	Transport ADR/RID:	t hazard class(es) 3 (8)	) IMDG: 3 (8)	IATA: 3 (8)
14.4	Packagin ADR/RID:		IMDG: II	IATA: II
14.5	Environm ADR/RID:	no no	IMDG Marine pollutant: no	IATA: no
14.6		recautions for use striction code :	er (D/E)	
	Further in	formation :	No data available	

# SECTION 15: Regulatory information

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/c	or restrictions on use
----------------------	------------------------

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: 1,4-Dioxane
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: 1,4-Dioxane

#### National legislation

Seveso III: Directive 2012/18/EU of the P5c European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

FLAMMABLE LIQUIDS

SIGALD- 345547

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 13 of 16

#### **Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has been carried out for this substance.

### **SECTION 16: Other information**

#### **Full text of H-Statements**

H225	Highly flammable liquid and vapor.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H350	May cause cancer.
EUH019	May form explosive peroxides.
EUH066	Repeated exposure may cause skin dryness or cracking.

SIGALD- 345547

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 14 of 16

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture		<b>Classification procedure:</b>
Flam. Liq.2	H225	Based on product data or assessment
Met. Corr.1	H290	Calculation method
Skin Irrit.2	H315	Calculation method
Eye Irrit.2	H319	Calculation method
Carc.1B	H350	Calculation method
STOT SE3	H335	Calculation method

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its

SIGALD- 345547

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 15 of 16

Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- 345547

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 16 of 16