Sigma-Aldrich.

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Version 6.9 Revision Date 26.02.2024 Print Date 12.03.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product name	:	Methacrylic acid (stabilised with hydroquinone monomethyl ether) for synthesis
	Product Number Catalogue No. Brand Index-No. REACH No.		<ul> <li>8.00578</li> <li>800578</li> <li>Millipore</li> <li>607-088-00-5</li> <li>A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.</li> </ul>
	CAS-No.	:	79-41-4

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

	Identified uses	:	Chemical for synthesis
1.3	Details of the supplier	of	the safety data sheet
	Company	:	Merck Life Science S.r.I. Via Monte Rosa 93 I-20149 MILANO
	Telephone Fax E-mail address	:	+39 02 3341 7340 +39 02 3801 0737 serviziotecnico@merckgroup.com

# **1.4 Emergency telephone**


Emergency Phone #	:	800-789-767 (CHEMTREC Italia) +39-02-4555-7031 (CHEMTREC chiamate internazionali)
		+39 02-6610-1029 (Centro Antiveleni
		Niguarda Ca' Granda - Milano)

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Millipore- 8.00578

The life science business of Merck operates as MilliporeSigma in the US and Canada



Acute toxicity, (Category 4)	H302: Harmful if swallowed.
Acute toxicity, (Category 4)	H332: Harmful if inhaled.
Acute toxicity, (Category 3)	H311: Toxic in contact with skin.
Skin corrosion, (Sub-category 1A)	H314: Causes severe skin burns and eye damage.
Serious eye damage, (Category 1)	H318: Causes serious eye damage.
Specific target organ toxicity - single exposure, (Category 3), Respiratory system	H335: May cause respiratory irritation.

### 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal Word	Danger
Hazard Statements H302 + H332 H311 H314 H335	Harmful if swallowed or if inhaled. Toxic in contact with skin. Causes severe skin burns and eye damage. May cause respiratory irritation.
Precautionary Statements	
P261	Avoid breathing mist or vapors.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

# Reduced Labeling (<= 125 ml)

Pictogram



Signal Word

Danger

Millipore- 8.00578

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 2 of 14



Hazard Statements H311 H314	Toxic in contact with skin. Causes severe skin burns and eye damage.
Precautionary Statements P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3:** Composition/information on ingredients

### 3.1 Substances

Formula	:	C4H6O2
Molecular weight	:	86,09 g/mol
CAS-No.	:	79-41-4
EC-No.	:	201-204-4
Index-No.	:	607-088-00-5

Component		Classification	Concentration
methacrylic acid			
CAS-No. EC-No. Index-No.	79-41-4 201-204-4 607-088-00-5	Acute Tox. 4; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; STOT SE 3; H302, H332, H311, H314, H318, H335 Concentration limits: >= 1 %: STOT SE 3, H335;	<= 100 %

Millipore- 8.00578

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 3 of 14

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Millipore- 8.00578

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 4 of 14

### **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4** Reference to other sections For disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Protected from light.Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Recommended storage temperature see product label.

### Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Millipore- 8.00578

Page 5 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Ingredients with workplace control parameters

### 8.2 Exposure controls

### Personal protective equipment

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,4 mm Break through time: 120 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

### **Body Protection**

protective clothing

### **Respiratory protection**

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Control of environmental exposure**

Do not let product enter drains.

Millipore- 8.00578

Page 6 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



### SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

<b>1</b> 111		nysical and chemical properties
a)	Physical state	liquid
b)	Color	colorless
c)	Odor	No data available
d)	Melting point/freezing point	15,4 - 15,5 °C
e)	Initial boiling point and boiling range	162 °C at 1.013 hPa
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	67 °C - closed cup
i)	Autoignition temperature	400 °C at 1.013 hPa
j)	Decomposition temperature	No data available
k)	рН	No data available
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 1,38 mPa.s at 25 °C
m)	Water solubility	98 g/l at 20 °C - OECD Test Guideline 105
n)	Partition coefficient: n-octanol/water	log Pow: 0,93 at 22 °C
o)	Vapor pressure	0,97 hPa at 20 °C - (Lit.)
p)	Density	1,015 g/cm3
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available

- s) Explosive properties No data available
- t) Oxidizing properties none

# 9.2 Other safety information

Surface tension

65,9 mN/m at 20 °C - Surface tension

Millipore- 8.00578

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 7 of 14

# **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) . Contains the following stabilizer(s): hydroquinone monomethyl ether  $(0,02 \ \%)$ 

## **10.3** Possibility of hazardous reactions

Risk of explosion with: furfuryl alcohol hydrochloric acid Violent reactions possible with: Amines azides Aldehydes Acid anhydrides Acid chlorides alkaline earth hydroxides alkali hydroxides bases Ether Heavy metal salts Heavy metals Ketones metallic hydroxides mineral acids Nitric acid Nitro compounds nitrates nitrites Reducing agents Strong oxidizing agents Strong acids Violent polymerization may be caused by: iron/iron-containing compounds sodium hydrogensulfite sodium thiosulphate peroxi compounds Peroxides persulfates Impurities hydrogen peroxide

### **10.4** Conditions to avoid

Heat. Keep away from direct sunlight. Strong heating.

# **10.5** Incompatible materials

No data available

Millipore- 8.00578

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 8 of 14



In the event of fire: see section 5

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

### Acute toxicity

Acute toxicity estimate Oral - 1.321 mg/kg (Calculation method) LD50 Oral - Rat - male - 1.320 mg/kg (OECD Test Guideline 401) Acute toxicity estimate Inhalation - 4 h - 11 mg/l - vapor(Calculation method)

LC50 Inhalation - Rat - male and female - 4 h - 7,1 mg/l - dust/mist

(OECD Test Guideline 403) Acute toxicity estimate Dermal - 300,06 mg/kg (Calculation method) LD50 Dermal - Rabbit - 500 - 1.000 mg/kg Remarks: (ECHA)

## Skin corrosion/irritation

Skin - Rabbit Result: Causes severe burns. - 3 min (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes burns. (OECD Test Guideline 405) Remarks: Causes serious eye damage.

### **Respiratory or skin sensitization**

Buehler Test - Guinea pig Result: negative (OECD Test Guideline 406)

## Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative

# Carcinogenicity

No data available

### **Reproductive toxicity** No data available

**Specific target organ toxicity - single exposure** May cause respiratory irritation. - Respiratory system

Millipore- 8.00578

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 9 of 14



# Specific target organ toxicity - repeated exposure

No data available

**Aspiration hazard** No data available

### **11.2 Additional Information**

### **Endocrine disrupting properties**

### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# SECTION 12: Ecological information

# **12.1 Toxicity**

2	Develotopee and dee	we die billing
	Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	flow-through test NOEC - Daphnia magna (Water flea) - 53 mg/l - 21 d (OECD Test Guideline 211)
	Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Danio rerio (zebra fish) - 10 mg/l - 35 d (OECD Test Guideline 210)
	Toxicity to bacteria	static test EC10 - Pseudomonas putida - 100 mg/l  - 16,5 h (DIN 38412)
		static test EC50 - Selenastrum capricornutum (green algae) - 45 mg/l - 72 h (OECD Test Guideline 201)
	Toxicity to algae	static test NOEC - Selenastrum capricornutum (green algae) - 8,2 mg/l - 72 h (OECD Test Guideline 201)
	Toxicity to daphnia and other aquatic invertebrates	flow-through test EC50 - Daphnia magna (Water flea) - > 130 mg/l - 48 h (US-EPA)
	Toxicity to fish	flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 85 mg/l - 96 h (US-EPA)

### 12.2 Persistence and degradability

Biodegradability

Result: 86 % - Readily biodegradable. (OECD Test Guideline 301D)

Millipore- 8.00578

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 10 of 14

# 12.3 Bioaccumulative potential

No data available

#### **12.4 Mobility in soil** No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties <u>Product:</u>

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# 12.7 Other adverse effects

No data available

# SECTION 13: Disposal considerations

**13.1 Waste treatment methods** 

No data available

#### **SECTION 14: Transport information** 14.1 UN number ADR/RID: 2531 IMDG: 2531 IATA: 2531 14.2 UN proper shipping name ADR/RID: METHACRYLIC ACID, STABILIZED METHACRYLIC ACID, STABILIZED IMDG: Methacrylic acid, stabilized IATA: 14.3 Transport hazard class(es) ADR/RID: 8 IMDG: 8 IATA: 8 14.4 Packaging group ADR/RID: II IMDG: II IATA: II 14.5 Environmental hazards ADR/RID: yes IMDG Marine pollutant: yes IATA: no 14.6 Special precautions for user Tunnel restriction code : (E)

Millipore- 8.00578

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 11 of 14



### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

### Authorisations and/or restrictions on use

### **Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

### **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

### **SECTION 16: Other information**

# Full text of H-Statements

- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- Causes severe skin burns and eye damage. H314
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.

Millipore- 8.00578

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 12 of 14



### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 8.00578

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 13 of 14

Millipore- 8.00578

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 14 of 14

