

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.7 Revision Date 03.01.2024 Print Date 25.03.2024

# GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

### 1.1 Product identifiers

Product name : Ethanol

Product Number : 51976

Brand : Sigma-Aldrich Index-No. : 603-002-00-5

REACH No. : 01-2119457610-43-XXXX

CAS-No. : 64-17-5

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Identified uses : Laboratory chemicals, Manufacture of substances

### 1.3 Details of the supplier of the safety data sheet

Company : Merck Life Science S.r.l.

Via Monte Rosa 93 I-20149 MILANO

Telephone : +39 02 3341 7340 Fax : +39 02 3801 0737

E-mail address : serviziotecnico@merckgroup.com

### 1.4 Emergency telephone

Emergency Phone # : 800-789-767 (CHEMTREC Italia)

+39-02-4555-7031 (CHEMTREC chiamate

internazionali)

+39 02-6610-1029 (Centro Antiveleni

Niguarda Ca' Granda - Milano)

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Flammable liquids, (Category 2) H225: Highly flammable liquid and vapor.

Eye irritation, (Category 2) H319: Causes serious eye irritation.

Sigma-Aldrich- 51976 Page 1 of 14



#### 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation.

**Precautionary Statements** 

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use non-sparking tools.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

### Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger
Hazard Statements none
Precautionary Statements none
Supplemental Hazard none

Statements

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **Ecological information:**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sigma-Aldrich- 51976 Page 2 of 14

M

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Synonyms : Ethyl alcohol

Component		Classification	Concentration
ethanol			
CAS-No. EC-No. Index-No.	64-17-5 200-578-6 603-002-00-5	Flam. Liq. 2; Eye Irrit. 2; H225, H319 Concentration limits: >= 50 %: Eye Irrit. 2A, H319;	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

Sigma-Aldrich- 51976 Page 3 of 14

A

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

#### **5.3** Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### **5.4** Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

# Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### **Hygiene measures**

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

Sigma-Aldrich- 51976 Page 4 of 14



### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Hygroscopic.

### Storage class

Storage class (TRGS 510): 3: Flammable liquids

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

# Ingredients with workplace control parameters

**Derived No Effect Level (DNEL)** 

Application Area	Routes of	Health effect	Value	
	exposure			
I.a.	1	1.	1	
Workers	Inhalation	Long-term systemic effects	950 mg/m3	
Workers	Skin contact	Long-term systemic effects	343mg/kg BW/d	
Workers	Ingestion	Long-term systemic effects	343mg/kg BW/d	
Workers	Inhalation	Acute local effects	1900 mg/m3	

**Predicted No Effect Concentration (PNEC)** 

Compartment	Value
Soil	0,63 mg/kg
Sea water	0,79 mg/l
Fresh water	0,96 mg/l
Fresh water sediment	3,6 mg/l
Sewage treatment plant	580 mg/l

### 8.2 Exposure controls

### Personal protective equipment

#### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Sigma-Aldrich- 51976 Page 5 of 14

A

Minimum layer thickness: 0,7 mm Break through time: 480 min

Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 120 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

### **Body Protection**

Flame retardant antistatic protective clothing.

### **Respiratory protection**

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic

compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### Control of environmental exposure

Do not let product enter drains. Risk of explosion.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Physical state liquid

b) Color colorlessc) Odor alcohol-like

d) Melting melting point/range: -114 °C

point/freezing point

e) Initial boiling point 78 °C

and boiling range

f) Flammability (solid, No data available

gas)

g) Upper/lower Upper explosion limit: 27,7 %(V) flammability or Lower explosion limit: 3,1 %(V)

explosive limits
h) Flash point 13 °C - closed cup

i) Autoignition 363 - 425 °C temperature at 1.013 hPa

j) Decomposition Distillable in an undecomposed state at normal pressure.

Sigma-Aldrich- 51976 Page 6 of 14

A

temperature

k) pH 7,0 at 10 g/l at 20 °C

I) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: 1,2 mPa.s at 20 °C

m) Water solubility 1.000 g/l at 20 °C - completely miscible

n) Partition coefficient: log Pow: -0,35 at 24 °C - Bioaccumulation is not expected.

n-octanol/water

o) Vapor pressure 57,26 hPa at 19,6 °C

p) Density 0,789 g/mL at 25 °C

Relative density No data available

q) Relative vapor

density

No data available

r) Particle characteristics

No data available

s) Explosive properties No data available

t) Oxidizing properties none

# 9.2 Other safety information

Conductivity  $< 1 \mu S/cm$ 

Surface tension 22,31 mN/m at 20 °C

- similar to water

Relative vapor

density

1,6

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Vapors may form explosive mixture with air.

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

### 10.3 Possibility of hazardous reactions

Risk of explosion/exothermic reaction with:

hydrogen peroxide

perchlorates

perchloric acid

Nitric acid

mercury(II) nitrate

permanganic acid

**Nitriles** 

peroxi compounds

Strong oxidizing agents

nitrosyl compounds

Sigma-Aldrich- 51976

Page 7 of 14



Peroxides

sodium

Potassium

halogen oxides

calcium hypochlorite

nitrogen dioxide

metallic oxides

uranium hexafluoride

iodides

Chlorine

Alkali metals

Alkaline earth metals

alkali oxides

Ethylene oxide

silver

with

Nitric acid

silver compounds

with

Ammonia

potassium permanganate

with

conc. sulfuric acid

Risk of ignition or formation of inflammable gases or vapours with:

halogen-halogen compounds

chromium(VI) oxide

chromyl chloride

Fluorine

hydrides

Oxides of phosphorus

platinum

Nitric acid

with

potassium permanganate

# 10.4 Conditions to avoid

Warming.

Warming.

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

Sigma-Aldrich- 51976 Page 8 of 14

A

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male and female - 10.470 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - 124,7 mg/l - vapor

(OECD Test Guideline 403) Dermal: No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye irritation.

(OECD Test Guideline 405)

### Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Methanol

### Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: dominant lethal test

Species: Mouse

Application Route: Oral

Method: OECD Test Guideline 478

Result: Positive results were obtained in some in vivo tests.

# Carcinogenicity

No data available

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

Sigma-Aldrich- 51976 Page 9 of 14



### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available

# 11.2 Additional Information

### **Endocrine disrupting properties**

### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

static test LC50 - Ceriodaphnia dubia (water flea) - 5.012 mg/l - 48

Repeated dose toxicity - Rat - male - Oral - NOAEL (No observed adverse effect level) -1.730 mg/kg - LOAEL (Lowest observed adverse effect level) - 3.200 mg/kg

RTECS: KO6300000

irritant effects, respiratory paralysis, Dizziness, narcosis, inebriation, euphoria, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) -

15.300 mg/l - 96 h

(US-EPA)

Toxicity to daphnia

and other aquatic

invertebrates Remarks: (ECHA)

static test ErC50 - Chlorella vulgaris (Fresh water algae) - 275 mg/l Toxicity to algae

- 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test IC50 - activated sludge - > 1.000 mg/l - 3 h

(OECD Test Guideline 209)

semi-static test NOEC - Danio rerio (zebra fish) - 250 mg/l - 120 h Toxicity to

fish(Chronic toxicity) Remarks: (ECHA)

Toxicity to daphnia and other aquatic

toxicity)

invertebrates(Chronic

semi-static test NOEC - Daphnia magna (Water flea) - 9,6 mg/l - 9 d

Remarks: (ECHA)

Sigma-Aldrich- 51976 Page 10 of 14

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 15 d

Result: ca.95 % - Readily biodegradable.

(OECD Test Guideline 301E)

Biochemical Oxygen 930 - 1.670 mg/g Demand (BOD) Remarks: (Lit.)

Theoretical oxygen 2.100 mg/g demand Remarks: (Lit.)

### 12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

### **Product:**

Assessment : The substance/mixture does not contain components

> considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

No data available

### **SECTION 14: Transport information**

#### 14.1 UN number

Canada

IMDG: 1170 ADR/RID: 1170 IATA: 1170

### 14.2 UN proper shipping name

ADR/RID: ETHANOL IMDG: **ETHANOL** IATA: Ethanol

Sigma-Aldrich- 51976 Page 11 of 14

### 14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

#### 14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

### 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

### 14.6 Special precautions for user

Tunnel restriction code : (D/E)

Further information : No data available

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

### **National legislation**

Seveso III: Directive 2012/18/EU of the P5c FLAMMABLE LIQUIDS European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

### Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

#### **Full text of H-Statements**

H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation.

Sigma-Aldrich- 51976 Page 12 of 14



#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- 51976 Page 13 of 14

A

Sigma-Aldrich- 51976 Page 14 of 14

