

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 9.0

Revision Date 21.12.2023

Print Date 12.03.2024

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Hydrogen peroxide 30% stabilized  
EMPROVE® ESSENTIAL Ph Eur,BP,USP

Product Number : 1.08597  
Catalogue No. : 108597  
Brand : Millipore  
REACH No. : This product is a mixture. REACH Registration Number see section 3.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Pharmaceutical production and analysis

### 1.3 Details of the supplier of the safety data sheet

Company : Merck Life Science S.r.l.  
Via Monte Rosa 93  
I-20149 MILANO

Telephone : +39 02 3341 7340  
Fax : +39 02 3801 0737  
E-mail address : serviziotecnico@merckgroup.com

### 1.4 Emergency telephone

Emergency Phone # : 800-789-767 (CHEMTREC Italia)  
+39-02-4555-7031 (CHEMTREC chiamate internazionali)  
+39 02-6610-1029 (Centro Antiveleni Niguarda Ca' Granda - Milano)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Serious eye damage, (Category 1) H318: Causes serious eye damage.



## 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal Word Danger

Hazard Statements

H318 Causes serious eye damage.

Precautionary Statements

P280 Wear eye protection/ face protection.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements none

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Component	Classification	Concentration	
<b>Hydrogen Peroxide</b>			
CAS-No.	7722-84-1	Ox. Liq. 1; Acute Tox. 4; Skin Corr. 1A; Eye Dam. 1; STOT SE 3; Aquatic Chronic 3; H271, H302, H332, H314, H318, H335, H412 Concentration limits: >= 70 %: Ox. Liq. 1, H271; 50 - < 70 %: Ox. Liq. 2, H272; >= 70 %: Skin Corr. 1A, H314; 50 - < 70 %: Skin Corr. 1B,	>= 30 - < 35 %
EC-No.	231-765-0		
Index-No.	008-003-00-9		
Registration number	01-2119485845-22-xxxx		



	H314; 35 - < 50 %: Skin Irrit. 2, H315; 8 - < 50 %: Eye Dam. 1, H318; 5 - < 8 %: Eye Irrit. 2, H319; >= 35 %: STOT SE 3, H335; > 40 - < 50 %: Ox. Liq. 3, H272;	
--	---	--

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### **If inhaled**

After inhalation: fresh air.

#### **In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### **In case of eye contact**

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### **If swallowed**

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### **Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Oxides of phosphorus  
Potassium oxides  
Sodium oxides  
Tin/tin oxides  
Not combustible.



### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not empty into drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H<sup>+</sup>, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Observe label precautions.

#### Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No metal containers. Close containers in such a way to enable internal pressure to escape (e.g. excess pressure valve).

Tightly closed. Protected from light. Do not store near combustible materials.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated



---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

### 8.2 Exposure controls

#### Personal protective equipment

##### Eye/face protection

Tightly fitting safety goggles

##### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Latex gloves

Minimum layer thickness: 0,6 mm

Break through time: 480 min

Material tested: Lapren® (KCL 706 / Aldrich Z677558, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

##### Body Protection

protective clothing

##### Respiratory protection

Recommended Filter type: filter NO

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

##### Control of environmental exposure

Do not empty into drains.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

a) Physical state                      liquid

Millipore- 1.08597

Page 5 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



b) Color	colorless
c) Odor	slight
d) Melting point/freezing point	Melting point: -26 °C
e) Initial boiling point and boiling range	107 °C at 1.013 hPa
f) Flammability (solid, gas)	No data available
g) Upper/lower flammability or explosive limits	No data available
h) Flash point	not combustible
i) Autoignition temperature	No data available
j) Decomposition temperature	> 100 °C
k) pH	2 - 4 at 20 °C
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	No data available
n) Partition coefficient: n-octanol/water	No data available
o) Vapor pressure	ca.18 hPa at 20 °C
p) Density	1,11 g/cm <sup>3</sup> at 20 °C
Relative density	No data available
q) Relative vapor density	No data available
r) Particle characteristics	No data available
s) Explosive properties	Not classified as explosive.
t) Oxidizing properties	Oxidizing potential

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Has a fire-promoting effect due to release of oxygen.

Millipore- 1.08597

Page 6 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



## 10.2 Chemical stability

heat-sensitive Sensitivity to light

Contains the following stabilizer(s):

1-hydroxyethane-1,1-diphosphonic acid (0,0074 %)

Disodium tin hexahydroxide (0,0008 %)

Ammonium nitrate (0,0015 %)

Tetrapotassium diphosphate (0,0003 %)

## 10.3 Possibility of hazardous reactions

Risk of explosion with:

Acetaldehyde

Acetone

Activated charcoal

Alcohols

formic acid

Ammonia

combustible substances

vinyl acetate

Organic Substances

Powdered metals

Dust

hydrazine and derivatives

hydrides

Ether

Potassium

anilines

Metallic salts

acetic acid

Acetic anhydride

Formaldehyde

furfuryl alcohol

oils

sodium

Lithium

lithium aluminium hydride

organic solvents

Magnesium

metallic oxides

Methanol

Reducing agents

Oxides of phosphorus

butanol

with

Sulphuric acid

alkali hydroxides

with

Heavy metals

Exothermic reaction with:

alkali hydroxides

antimony sulfide

tin (II) chloride

Sulfides



3-BROMO-5-CHLORO-4-HYDROXYBENZALDEHYDE  
nitric acid (conc.)  
ethanol  
glycerol  
Potassium hydroxide  
phosphorus  
metallic oxides  
Sodium hydroxide  
Aldehydes  
nonmetals  
nonmetallic oxides  
strong alkalis  
Amines  
Acids  
Oxidizing agents  
alkali salts  
Alkali metals  
Alkaline earth metals  
iodides  
peroxi compounds  
Brass  
organic nitro compounds  
phenol  
with  
metal catalysts  
Risk of ignition or formation of inflammable gases or vapours with:  
potassium permanganate  
Wood/Sawdust  
vinyl acetate  
with  
Catalyst

#### **10.4 Conditions to avoid**

Heating.

#### **10.5 Incompatible materials**

Metals

#### **10.6 Hazardous decomposition products**

In the event of fire: see section 5

---

### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

##### **Mixture**

##### **Acute toxicity**

Acute toxicity estimate Oral - > 2.000 mg/kg

(Calculation method)

Acute toxicity estimate Inhalation - 4 h - > 20 mg/l - vapor(Calculation method)

Millipore- 1.08597

Page 8 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada





Dermal: No data available

**Skin corrosion/irritation**

Remarks: After long-term exposure to the chemical:  
Causes skin burns.

**Serious eye damage/eye irritation**

Remarks: conjunctivitis

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

**Endocrine disrupting properties**

**Product:**

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Dizziness  
Unconsciousness  
Diarrhea  
Nausea  
Vomiting  
Headache  
Convulsions  
muscle twitching  
insomnia  
shock  
Irritation and corrosion  
conjunctivitis  
Risk of serious damage to eyes.

Other dangerous properties can not be excluded.



Handle in accordance with good industrial hygiene and safety practice.

## Components

### Hydrogen Peroxide

#### Acute toxicity

LD50 Oral - Rat - female - 693,7 mg/kg  
(OECD Test Guideline 401)

Acute toxicity estimate Inhalation - 4 h - 11,1 mg/l - vapor  
(Expert judgment)

LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg  
(US-EPA)

#### Skin corrosion/irritation

Remarks: Causes severe burns.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

Method: OECD Test Guideline 474

Species: Mouse - male and female - Bone marrow

Result: negative

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract

#### Specific target organ toxicity - repeated exposure

#### Aspiration hazard

No data available

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Mixture

No data available

### 12.2 Persistence and degradability

Biodegradability                      Remarks: No data available

### 12.3 Bioaccumulative potential

No data available

Millipore- 1.08597

Page 10 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

No interference with wastewater treatment plants are to be expected when used properly. Discharge into the environment must be avoided.

No data available

### **Components**

#### **Hydrogen Peroxide**

Toxicity to fish	semi-static test LC50 - Pimephales promelas (fathead minnow) - 16,4 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	semi-static test LC50 - Daphnia pulex (Water flea) - 2,4 mg/l - 48 h (US-EPA)
Toxicity to algae	static test ErC50 - Skeletonema costatum (marine diatom) - 1,38 mg/l - 72 h Remarks: (ECHA)
	static test NOEC - Skeletonema costatum (marine diatom) - 0,63 mg/l - 72 h Remarks: (ECHA)
Toxicity to bacteria	static test EC50 - activated sludge - 466 mg/l - 30 min (OECD Test Guideline 209) static test EC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	flow-through test NOEC - Daphnia magna (Water flea) - 0,63 mg/l - 21 d Remarks: (ECHA)



---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 2014

IMDG: 2014

IATA: 2014

### 14.2 UN proper shipping name

ADR/RID: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

IMDG: HYDROGEN PEROXIDE, AQUEOUS SOLUTION

IATA: Hydrogen peroxide, aqueous solution

### 14.3 Transport hazard class(es)

ADR/RID: 5.1 (8)

IMDG: 5.1 (8)

IATA: 5.1 (8)

### 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

### 14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Authorisations and/or restrictions on use

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors : Hydrogen Peroxide

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

---

## SECTION 16: Other information

### Full text of H-Statements

Millipore- 1.08597

Page 12 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



H271	May cause fire or explosion; strong oxidizer.
H272	May intensify fire; oxidizer.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

### Relevant changes since previous version

#### 10. Stability and reactivity

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### Classification of the mixture

Eye Dam.1

H318

#### Classification procedure:

Calculation method



**Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

