www.sigmaaldrich.com

Sigma-Aldrich

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.6 Revision Date 26.06.2023 Print Date 16.05.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifiers**

_	Product name	:	Zinc sulfate heptahydrate
	Product Number Brand Index-No. REACH No. CAS-No.	:	Z4750 SIGALD 030-006-00-9 01-2119474684-27-XXXX 7446-20-0

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

## 1.3 Details of the supplier of the safety data sheet

	Company	:	Merck Life Science S.r.l. Via Monte Rosa 93 I-20149 MILANO
	Telephone Fax		+39 02 3341 7340 +39 02 3801 0737
1.4	E-mail address Emergency telephone		serviziotecnico@merckgroup.com
	Emergency Phone #	:	800-789-767 (CHEMTREC Italia) +39-02-4555-7031 (CHEMTREC chiamate internazionali) +39 02-6610-1029 (Centro Antiveleni Niguarda Ca' Granda - Milano)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Acute toxicity, Oral (Category 4), H302 Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

SIGALD- Z4750

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 1 of 12



## 2.2 Label elements

Labelling according Reg Pictogram	ulation (EC) No 1272/2008
Signal Word	Danger
Hazard statement(s) H302 H318 H410	Harmful if swallowed. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.
Precautionary statement(s) P264 P273 P280 P301 + P312 P305 + P351 + P338	Wash skin thoroughly after handling. Avoid release to the environment. Wear eye protection/ face protection. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes.
P391	Remove contact lenses, if present and easy to do. Continue rinsing. Collect spillage.
Supplemental Hazard Statements	none

## Reduced Labeling (<= 125 ml) Pictogram

Signal Word	Danger
Hazard statement(s) H318	Causes serious eye damage.
Precautionary statement(s) P280 P305 + P351 + P338	Wear eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SIGALD- Z4750

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 2 of 12

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

## 3.1 Substances

Formula	: O <sub>4</sub> SZn · 7H <sub>2</sub> O	
Molecular weight	: 287,56 g/mol	
CAS-No.	: 7446-20-0	
EC-No.	: 231-793-3	
Index-No.	: 030-006-00-9	

Component		Classification	Concentration
Zinc sulfate hepta	hydrate		
CAS-No. EC-No. Index-No.	7446-20-0 231-793-3 030-006-00-9	Acute Tox. 4; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H318, H400, H410 M-Factor - Aquatic Acute: 1 M-Factor - Aquatic Chronic: 1	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

## If inhaled

After inhalation: fresh air.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

## If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

SIGALD- Z4750

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 3 of 12

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Sulfur oxides Zinc/zinc oxides Not combustible. Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

## **SECTION 6: Accidental release measures**

## **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact.

Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

**6.2 Environmental precautions** Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### **6.4 Reference to other sections** For disposal see section 13.

## **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

**Storage conditions** Tightly closed. Dry.

SIGALD- Z4750

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 4 of 12



Hygroscopic.

## Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Ingredients with workplace control parameters

## 8.2 Exposure controls

## Personal protective equipment

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layor thickness: 0.11 mm

Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

## **Body Protection**

protective clothing

## **Respiratory protection**

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2

SIGALD- Z4750

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 12

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

**Control of environmental exposure** 

Do not let product enter drains.

## SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

information on basic physical and chemical properties				
a)	Physical state	powder, crystalline		
b)	Color	white		
c)	Odor	No data available		
d)	Melting point/freezing point	Melting point: 100 °C		
e)	Initial boiling point and boiling range	No data available		
f)	Flammability (solid, gas)	The product is not flammable.		
g)	Upper/lower flammability or explosive limits	No data available		
h)	Flash point	Not applicable		
i)	Autoignition temperature	No data available		
j)	Decomposition temperature	No data available		
k)	pН	No data available		
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available		
m)	Water solubility	No data available		
n)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances		
o)	Vapor pressure	No data available		
p)	Density	1,97 g/cm3		
	Relative density	No data available		
q)	Relative vapor density	No data available		
r)	Particle characteristics	No data available		

SIGALD- Z4750

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 12

- s) Explosive properties No data available
- t) Oxidizing properties none
- 9.2 Other safety information No data available

## SECTION 10: Stability and reactivity

## 10.1 Reactivity

No data available

- **10.2 Chemical stability** The product is chemically stable under standard ambient conditions (room temperature) .
- **10.3 Possibility of hazardous reactions** Violent reactions possible with: Strong oxidizing agents
- **10.4 Conditions to avoid** no information available
- **10.5 Incompatible materials** Metals
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

## SECTION 11: Toxicological information

### **11.1** Information on toxicological effects

## Acute toxicity

LD50 Oral - Mouse - male - 926 mg/kg (OECD Test Guideline 401) Inhalation: No data available LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

## Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye damage. (OECD Test Guideline 405)

#### **Respiratory or skin sensitization**

Local lymph node assay (LLNA) - Mouse Result: negative Remarks: (ECHA)

#### Germ cell mutagenicity

SIGALD- Z4750

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 12



Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA)

Test Type: In vivo micronucleus test Species: Mouse Cell type: Red blood cells (erythrocytes) Application Route: Intraperitoneal injection

Result: negative Remarks: (ECHA)

#### Carcinogenicity No data available

## **Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure** No data available

**Specific target organ toxicity - repeated exposure** No data available

## Aspiration hazard

No data available

## **11.2 Additional Information**

## **Endocrine disrupting properties**

## Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## RTECS: ZH5300000

Zinc oxide dust or fume can irritate the respiratory tract. Prolonged skin contact can produce a severe dermatitis called oxide pox. Exposure to high levels of dust or fume can cause metallic taste, marked thirst, coughing, fatigue, weakness, muscular pain, and nausea followed by fever and chills. Severe overexposure may result in bronchitis or pneumonia with a bluish tint to the skin., burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, airway resistance, Cardiovascular effects., pulmonary edema, congestive heart failure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SIGALD- Z4750

Page 8 of 12

The life science business of Merck operates as MilliporeSigma in the US and Canada



## SECTION 12: Ecological information

## 12.1 Toxicity

Toxicity to fish	static test LC50 - Pimephales promelas (fathead minnow) - 0,330 mg/l - 96 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 1,4 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	EC50 - Chlorella vulgaris (Fresh water algae) - 64,8 mg/l - 72 h Remarks: (IUCLID)
Toxicity to bacteria	static test EC50 - activated sludge - 5,2 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Salmo trutta - 0,056 mg/l - 116 d (OECD Test Guideline 210)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Shrimp - 0,0318 mg/l - 7 d (US-EPA)

## 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3 Bioaccumulative potential

Bioaccumulation

Channa punctata - 45 d at 27 °C(Zinc sulfate heptahydrate)

Bioconcentration factor (BCF): 0,4

12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## **12.6 Endocrine disrupting properties**

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

No data available

SIGALD- Z4750

Page 9 of 12

The life science business of Merck operates as MilliporeSigma in the US and Canada



## SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

No data available

SECTION 14: Transport information				
14.1 UN numb ADR/RID:		IMDG: 3077	IATA: 3077	
	heptahydrate) ENVIRONMENTALL heptahydrate)	Y HAZARDOUS SUBSTANCE, So Y HAZARDOUS SUBSTANCE, So azardous substance, solid, n.o.s	DLID, N.O.S. (Zinc sulfate	
14.3 Transpor ADR/RID:	<b>t hazard class(es)</b> 9	IMDG: 9	IATA: 9	
14.4 Packagin ADR/RID:		IMDG: III	IATA: III	
14.5 Environn ADR/RID:	n <b>ental hazards</b> yes	IMDG Marine pollutant: yes	IATA: yes	
	striction code :			
Further i	nformation			

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

## **SECTION 15: Regulatory information**

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

## National legislation

Seveso III: Directive 2012/18/EU of the E1 European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

ENVIRONMENTAL HAZARDS

SIGALD- Z4750

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 10 of 12

## **Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

## **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

## Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.

- H318 Causes serious eye damage.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

## Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer: IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### SIGALD- Z4750

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 11 of 12

## Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- Z4750

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 12 of 12