www.sigmaaldrich.com

Sigma-Aldrich.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Version 8.4 Revision Date 10.04.2023 Print Date 13.05.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name

 Ethylenediaminetetraacetic acid disodium salt dihydrate

Product Number	:	E5134
Brand	:	Sigma
REACH No.	:	01-2119486775-20-XXXX
CAS-No.	:	6381-92-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

	Company	:	Merck Life Science S.r.l. Via Monte Rosa 93 I-20149 MILANO
	Telephone Fax E-mail address	:	+39 02 3341 7340 +39 02 3801 0737 serviziotecnico@merckgroup.com
1.4	Emergency telephone Emergency Phone #	:	800-789-767 (CHEMTREC Italia) +39-02-4555-7031 (CHEMTREC chiamate internazionali) +39 02-6610-1029 (Centro Antiveleni Niguarda Ca' Granda - Milano)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Acute toxicity, Inhalation (Category 4), H332 Specific target organ toxicity - repeated exposure, Inhalation (Category 2), Respiratory Tract, H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma- E5134

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 13

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram				
Signal Word	Warning			
Hazard statement(s) H332 H373	Harmful if inhaled. May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.			
Precautionary statement(s P260 P271 P304 + P340 + P312 P314 P501) Do not breathe dust. Use only outdoors or in a well-ventilated area. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. Get medical advice/ attention if you feel unwell. Dispose of contents/ container to an approved waste disposal plant.			
Supplemental Hazard Statements	none			
Reduced Labeling (<= 125 ml) Pictogram				

Signal Word	Warning
Hazard statement(s)	none
Precautionary statement(s)	none
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substances			
Formula	: $C_{10}H_{14}N_2Na_2O_8$ ·	2H ₂ O	
Molecular weight	: 372,24 g/mol		
CAS-No.	: 6381-92-6		
EC-No.	: 205-358-3		
Component		Classification	Concentration

Sigma- E5134

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 2 of 13

Edetate disodium dihydrate

CAS-No.6381-92-6Acute Tox. 4; STOT RE 2;EC-No.205-358-3H332, H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Sodium oxides Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

Sigma- E5134

Page 3 of 13

<= 100 %



5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Storage class

Storage class (TRGS 510): 11: Combustible Solids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma- E5134

Page 4 of 13



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Derived No Effect Level (DNEL)

Application Area	Routes of	Health effect	Value	
	exposure			
Worker DNEL, acute	inhalation	Local effects	3 mg/m3	
Worker DNEL, longterm	inhalation	Local effects	1,5 mg/m3	
Consumer DNEL, acute	inhalation	Local effects	1,2 mg/m3	
Consumer DNEL, longterm	inhalation	Local effects	0,6 mg/m3	
Consumer DNEL, longterm	oral	Systemic effects		

Predicted No Effect Concentration (PNEC)

Compartment	Value
Fresh water	2,2 mg/l
Sea water	0,22 mg/l
Aquatic intermittent release	1,2 mg/l
Sewage treatment plant	43 mg/l
Soil	0,72 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please

Sigma- E5134

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 13

contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Combined particulates, inorganic and acidic gas/vapor, ammonia/amines and organic vapor type

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

a)	Physical state	crystals
b)	Color	white
c)	Odor	odorless
d)	Melting point/freezing point	Melting point/range: 248 °C
e)	Initial boiling point and boiling range	No data available
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	Not applicable
i)	Autoignition temperature	No data available
j)	Decomposition temperature	255 °C
k)	pН	No data available
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	No data available

Sigma- E5134

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 6 of 13



- n) Partition coefficient: No data available n-octanol/water
- o) Vapor pressure No data available
- p) Density No data available
 Relative density No data available
 q) Relative vapor density
- r) Particle No data available characteristics
- s) Explosive properties No data available
- t) Oxidizing properties none
- **9.2 Other safety information** No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

Aluminum, Copper, Copper alloys, Nickel, Zinc

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 2.800 mg/kg (OECD Test Guideline 401) Remarks: The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

Sigma- E5134

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 13



(Expert judgment) Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404) Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405) Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

Germ cell mutagenicity

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid trisodium saltTest Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium saltThe value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid trisodium saltTest Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid trisodium salt Test Type: In vivo micronucleus test Species: Mouse

Sigma- E5134

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 8 of 13

Application Route: Oral Method: OECD Test Guideline 474 Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure. - Respiratory Tract

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: AH4410000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - > 100 mg/l - 96 h (OECD Test Guideline 203) Remarks: (ECHA) The value is given in analogy to the following substances: Sodium feredetate
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 140 mg/l - 48 h (DIN 38412) Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt

Sigma- E5134

Page 9 of 13



	NOEC - Daphnia magna (Water flea) - 25 mg/l - 21 d Remarks: (ECHA) The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid disodium salt
Toxicity to algae	static test - Pseudokirchneriella subcapitata (green algae) - > 60 mg/l - 72 h (OECD Test Guideline 201) Remarks: (ECHA) The value is given in analogy to the following substances: Sodium feredetate
Toxicity to bacteria	NOEC - activated sludge - > 640 mg/l - 3 h (OECD Test Guideline 209) Remarks: (ECHA) The value is given in analogy to the following substances: Sodium feredetate

12.2 Persistence and degradability

BiodegradabilityResult: 2 % - Not readily biodegradable.
(OECD Test Guideline 301D)
Remarks: The value is given in analogy to the following substances:
Ethylenedinitrilotetraacetic acid disodium salt

12.3 Bioaccumulative potential

Bioaccumulation

Lepomis macrochirus (Bluegill sunfish) - 28 d at 21 °C - 0,08 mg/l(Edetate disodium dihydrate)

Bioconcentration factor (BCF): 1,8 (OECD Test Guideline 305)

Remarks: The value is given in analogy to the following substances: Ethylenedinitrilotetraacetic acid,Tetrasodiumsalt

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties <u>Product:</u>

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sigma- E5134

Page 10 of 13



No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information					
14.1 UN number ADR/RID: -	IMDG: -	IATA: -			
14.2 UN proper shipping name ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods					
14.3 Transport hazard class ADR/RID: -	(es) IMDG: -	IATA: -			
14.4 Packaging group ADR/RID: -	IMDG: -	IATA: -			
14.5 Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no			
 14.6 Special precautions for user No data available Further information Not classified as dangerous in the meaning of transport regulations. 					

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

Sigma- E5134

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 11 of 13

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H373 May cause damage to organs through prolonged or repeated exposure if inhaled.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sigma- E5134

Page 12 of 13



Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma- E5134

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 13 of 13