Sigma-Aldrich.

# SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Version 6.10 Revision Date 12.01.2024 Print Date 13.05.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

1.1	<b>Product identifiers</b> Product name	:	Triton <sup>™</sup> X-405 solution
	Product Number Brand	-	X405 Sigma-Aldrich
	REACH No.	:	This product is a mixture. REACH Registration Number see section 3.
	CAS-No.	:	9036-19-5

# **1.2** Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Scientific research and development

# 1.3 Details of the supplier of the safety data sheet

Company	:	Merck Life Science S.r.l. Via Monte Rosa 93 I-20149 MILANO
Telephone Fax E-mail address	:	+39 02 3341 7340 +39 02 3801 0737 serviziotecnico@merckgroup.com

#### **1.4 Emergency telephone**

Emergency Phone # :	800-789-767 (CHEMTREC Italia) +39-02-4555-7031 (CHEMTREC chiamate internazionali) +39 02-6610-1029 (Centro Antiveleni Niguarda Ca' Granda - Milano)
---------------------	---

#### **SECTION 2: Hazards identification**

2.1	<b>Classification of the substance or</b> Acute toxicity, (Category 4)	<b>mixture</b> H302: Harmful if swallowed.	
	Skin irritation, (Category 2)	H315: Causes skin irritation.	
	Serious eye damage, (Category	H318: Causes serious eye damage.	

Sigma-Aldrich- X405

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 14

Short-term (acute) aquatic hazard, (Category 1)

Long-term (chronic) aquatic hazard, (Category 1)

# 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008 Pictogram

Signal Word Danger Hazard Statements Harmful if swallowed. H302 H315 Causes skin irritation. H318 Causes serious eye damage. H410 Very toxic to aquatic life with long lasting effects. **Precautionary Statements** P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection. P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. P302 + P352IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Supplemental Hazard none Statements

# Reduced Labeling (<= 125 ml)

Pictogram



Signal WordDangerHazard StatementsCauses serious eye damage.Precautionary StatementsCauses serious eye damage.P305 + P351 + P338IF IN EYES: Rinse cautiously with water for several minutes.<br/>Remove contact lenses, if present and easy to do. Continue<br/>rinsing.Supplemental Hazard<br/>Statementsnone

Sigma-Aldrich- X405

Page 2 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Ecological information:

This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

Synonyms

: Polyoxyethylene (40) isooctylphenyl ether Polyethylene glycol tert-octylphenyl ether

Formula

: (C2H4O)nC14H22O

Component Classification Concentration

**Poly(oxy-1,2-ethanediyl), α-hydro-ω-hydroxy- octylphenyl ether** Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH)

	/	
CAS-No.	9036-19-5	Acute Tox. 4; Skin Irrit. 2; >= 50 - < 70
		Eye Dam. 1; Aquatic Acute %
		1; Aquatic Chronic 1;
	*	H302, H315, H318, H400,
		H410
		M-Factor - Aquatic Acute:
		10
		M-Factor - Aquatic
		Chronic: 10

\*A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

# SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

Sigma-Aldrich- X405

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 3 of 14



# If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

**Unsuitable extinguishing media** For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

#### **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

**6.2 Environmental precautions** Do not let product enter drains.

Sigma-Aldrich- X405

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 4 of 14



# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

# 6.4 Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

**7.1 Precautions for safe handling** For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

**Storage conditions** Tightly closed.

#### Storage class

Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

#### 8.2 Exposure controls

#### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

#### Splash contact

Sigma-Aldrich- X405

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 5 of 14

Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

protective clothing

#### **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

#### SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

a)	Physical state	clear, liquid
b)	Color	yellow
c)	Odor	mild
d)	Melting point/freezing point	Freezing point: -9 °C
e)	Initial boiling point and boiling range	101 °C at 1.013 hPa - The value is calculated
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	No data available
i)	Autoignition temperature	No data available

Sigma-Aldrich- X405

. .. . .

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 14

j)	Decomposition temperature	No data available
k)	рН	No data available
I)	Viscosity	Viscosity, kinematic: 665 mm2/s at 25 °C - The value is calculated
		Viscosity, dynamic: No data available
m)	Water solubility	No data available
n)	Partition coefficient: n-octanol/water	No data available
o)	Vapor pressure	20 hPa at 20 °C - The value is calculated
p)	Density	1,096 g/cm3 at 25 °C
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available

- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none

#### **9.2 Other safety information** No data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

# No data available

#### **10.2 Chemical stability** The product is chemically stable under standard ambient conditions (room temperature) .

# **10.3 Possibility of hazardous reactions** No data available

# **10.4 Conditions to avoid** no information available

#### **10.5 Incompatible materials** Strong oxidizing agents

#### **10.6 Hazardous decomposition products** In the event of fire: see section 5

Sigma-Aldrich- X405

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 7 of 14

# SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

#### Mixture

#### Acute toxicity

Acute toxicity estimate Oral - 724,64 mg/kg (Calculation method) Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract. Symptoms: Possible symptoms:, mucosal irritations Dermal: No data available

#### Skin corrosion/irritation

Remarks: Mixture causes skin irritation.

Serious eye damage/eye irritation Remarks: Mixture causes serious eye damage.

**Respiratory or skin sensitization** No data available

Germ cell mutagenicity No data available

**Carcinogenicity** No data available

**Reproductive toxicity** No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

**Aspiration hazard** No data available

#### **11.2 Additional Information**

#### **Endocrine disrupting properties**

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Ingestion of large amounts may cause:, Nausea, Diarrhea Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Sigma-Aldrich- X405

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 8 of 14

# Components

# Poly(oxy-1,2-ethanediyl), α-hydro-ω-hydroxy- octylphenyl ether

#### **Acute toxicity**

LD50 Oral - Rat - 1.900 - 5.000 mg/kg Acute toxicity estimate Oral - 1.900 mg/kg (ATE value derived from LD50/LC50 value) Inhalation: No data available LD50 Dermal - Rabbit - > 16.000 mg/kg Remarks: (External MSDS)

# Skin corrosion/irritation

Remarks: No data available

# Serious eye damage/eye irritation

Eyes - Rabbit Result: Risk of serious damage to eyes. (Draize Test)

**Respiratory or skin sensitization** No data available

**Germ cell mutagenicity** No data available

# Carcinogenicity

No data available

# **Reproductive toxicity**

Ingestion of excessive amounts by pregnant animals resulted in maternal and fetal toxicity.

No data available

#### Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Aspiration hazard**

No data available

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Mixture** No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available

Sigma-Aldrich- X405

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 9 of 14



# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties **Product:**

Assessment

: This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

# **Components:**

# **Poly(oxy-1,2-ethanediyl)**, α-hydro-ω-hydroxy- octylphenyl ether:

Assessment

: The substance is considered to have endocrine disrupting properties according to REACH Article 57(f) for the environment.

# 12.7 Other adverse effects

No data available

#### Components

# Poly(oxy-1,2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy- octylphenyl ether

Information given is based on tests on the mixture itself. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

may cause long term adverse effects in the aquatic environment.				
Ţ	Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 440 mg/l - 96 h		
No dat	ta available			
ā	Foxicity to daphnia and other aquatic nvertebrates	Remarks: No data available		
٦	Foxicity to bacteria			
	Foxicity to Fish(Chronic toxicity)	Remarks: No data available		

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods No data available

Sigma-Aldrich- X405

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 10 of 14



SECTION 14: Transport information						
14.1 UN numb ADR/RID:		IMDG: 3082	IATA: 3082			
	<b>14.2 UN proper shipping name</b> ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Octylphenol polyethoxyethanol)					
IMDG:	ENVIRONMENTALL polyethoxyethanol	Y HAZARDOUS SUBSTANCE, LI	QUID, N.O.S. (Octylphenol			
IATA:		azardous substance, liquid, n.o.	s. (Octylphenol			
14.3 Transpor ADR/RID:	t hazard class(es) 9	IMDG: 9	IATA: 9			
14.4 Packagin ADR/RID:		IMDG: III	IATA: III			
<b>14.5 Environm</b> ADR/RID:		IMDG Marine pollutant: yes	IATA: yes			
	recautions for use striction code :					
Further i	nformation					

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

#### SECTION 15: Regulatory information

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

# Authorisations and/or restrictions on use

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: Poly(oxy-1,2-ethanediyl), ahydro-ω-hydroxy- octylphenyl ether

This product contains a substance listed on Annex XIV of the REACH Regulation (EC) Nr. 1907/2006.

Listed substance / Sunset Date

: Poly(oxy-1,2-ethanediyl), ahydro-ω-hydroxy- octylphenyl ether / 04.01.2021

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

Sigma-Aldrich- X405

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 11 of 14

#### National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1 ENVIRONMENTAL HAZARDS

E1 ENVIRONMENTAL HAZARDS

#### **Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

#### **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

# **SECTION 16: Other information**

#### Full text of H-Statements

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Sigma-Aldrich- X405

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 12 of 14

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the	Classification procedure:	
Acute Tox.4	H302	Calculation method
Skin Irrit.2	H315	Calculation method
Eye Dam.1	H318	Calculation method
Aquatic Acute1	H400	Calculation method
Aquatic Chronic1	H410	Calculation method

#### Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact

Sigma-Aldrich- X405

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 13 of 14

with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- X405

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 14 of 14