www.sigmaaldrich.com

Sigma-Aldrich.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 9.7 Revision Date 01.03.2024 Print Date 06.05.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifiers**

Product name: BenzaldehydeProduct Number: B1334Brand: Sigma-AldrichIndex-No.: 605-012-00-5REACH No.: 01-2119455540-44-XXXX

CAS-No. : 100-52-7

#### **1.2** Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

# 1.3 Details of the supplier of the safety data sheet

Company	:	Merck Life Science S.r.l. Via Monte Rosa 93 I-20149 MILANO
Telephone Fax	-	+39 02 3341 7340 +39 02 3801 0737
E-mail address	-	serviziotecnico@merckgroup.com

# 1.4 Emergency telephone

Emergency Phone # :	800-789-767 (CHEMTREC Italia) +39-02-4555-7031 (CHEMTREC chiamate internazionali) +39 02-6610-1029 (Centro Antiveleni Niguarda Ca' Granda - Milano)
---------------------	---

# **SECTION 2: Hazards identification**

2.1	<b>Classification of the substance or</b> Acute toxicity, (Category 4)	<b>mixture</b> H302: Harmful if swallowed.
	Acute toxicity, (Category 4)	H332: Harmful if inhaled.
	Skin irritation, (Category 2)	H315: Causes skin irritation.

Sigma-Aldrich- B1334

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 14

	Eye irritation, (Category 2)	H319: Causes serious eye irritation.
	Reproductive toxicity, (Category 1B)	H360D: May damage the unborn child.
	Specific target organ toxicity - single exposure, (Category 3), Respiratory system	H335: May cause respiratory irritation.
	Long-term (chronic) aquatic hazard, (Category 2)	H411: Toxic to aquatic life with long lasting effects.
2.2	Label elements	
	Labelling according Regulation (EC) No 1272/2008 Pictogram	

Signal Word	Danger
Hazard Statements H302 + H332 H315 H319 H335 H360D H411	Harmful if swallowed or if inhaled. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May damage the unborn child. Toxic to aquatic life with long lasting effects.
Precautionary Statements P273 P301 + P312	Avoid release to the environment. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
P302 + P352 P304 + P340 + P312	IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
Supplemental Hazard Statements	none

# Reduced Labeling (<= 125 ml)

Pictogram

25 ml)

Signal Word Hazard Statements H360D

Danger

May damage the unborn child.

Sigma-Aldrich- B1334

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 2 of 14



Precautionary Statements	
P308 + P313	IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard none Statements

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

Synonyms	: Artificial essential oi	: Artificial essential oil of almond	
Formula Molecular weight CAS-No. EC-No. Index-No.	: C <sub>7</sub> H <sub>6</sub> O : 106,12 g/mol : 100-52-7 : 202-860-4 : 605-012-00-5		
Component		Classification	Concentration
benzaldehyde			
CAS-No. EC-No. Index-No.	100-52-7 202-860-4 605-012-00-5	Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Repr. 1B; STOT SE 3; Aquatic Chronic 2; H302, H332, H315, H319, H360D, H335, H411	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

Sigma-Aldrich- B1334

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 3 of 14

# In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

**Unsuitable extinguishing media** For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Under fire conditions, material may decompose to form flammable and/or explosive mixtures in air.Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

Sigma-Aldrich- B1334

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 4 of 14

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

#### Store under nitrogen.

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Air, light, and moisture sensitive.

#### Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with workplace control parameters

#### 8.2 Exposure controls

#### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Sigma-Aldrich- B1334

Page 5 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Latex gloves Minimum layer thickness: 0,6 mm

Break through time: 10 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

# **Body Protection**

protective clothing

#### **Respiratory protection**

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

#### SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

a)	Physical state	liquid
b)	Color	colorless
c)	Odor	No data available
d)	Melting point/freezing point	Melting point/range: -26 °C - lit.
e)	Initial boiling point and boiling range	178 - 179 °C - lit.
f)	Flammability (solid, gas)	No data available

Sigma-Aldrich- B1334

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 14

g)	Upper/lower flammability or	Upper explosion limit: 8,5 %(V) Lower explosion limit: 1,4 %(V)
	explosive limits	
h)	Flash point	63 °C - closed cup
i)	Autoignition temperature	No data available
j)	Decomposition temperature	No data available
k)	рН	5,9 at 20 °C
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	6,95 g/l at 25 °C
n)	Partition coefficient: n-octanol/water	log Pow: 1,4 at 25 °C - Bioaccumulation is not expected.
o)	Vapor pressure	1,69 hPa at 25 °C
p)	Density	1,044 g/cm3 at 20 °C - lit.
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	none
	- · ·	

#### 9.2 Other safety information

Surface tension	70,5 mN/m at 1g/l at 20 °C - OECD Test Guideline 115
Relative vapor density	3,66 - (Air = 1.0)

# SECTION 10: Stability and reactivity

#### **10.1 Reactivity**

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

# **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# **10.3** Possibility of hazardous reactions

Violent reactions possible with: bases Alkali metals

Sigma-Aldrich- B1334

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 14



Aluminum Iron performic acid phenols Oxygen Oxidizing agents

#### **10.4** Conditions to avoid

Air Exposure to moisture. Light. Heat. Strong heating.

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

#### **SECTION 11:** Toxicological information

#### 11.1 Information on toxicological effects

#### Acute toxicity

Acute toxicity estimate Oral - 1.430 mg/kg (ATE value derived from LD50/LC50 value) LC50 Inhalation - Rat - male and female - 4 h - 1 - 5 mg/l - dust/mist

(OECD Test Guideline 436) LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg Remarks: (ECHA) The value is given in analogy to the following substances: Benzoic acid

#### Skin corrosion/irritation

Remarks: Causes skin irritation. (ECHA)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye irritation. (OECD Test Guideline 405)

#### **Respiratory or skin sensitization**

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

#### Germ cell mutagenicity

Test Type: Micronucleus test Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 487 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation

Sigma-Aldrich- B1334

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 8 of 14



Method: OECD Test Guideline 490 Result: negative

Carcinogenicity No data available

# Reproductive toxicity

May damage the unborn child.

**Specific target organ toxicity - single exposure** Inhalation - May cause respiratory irritation. - Lungs

Specific target organ toxicity - repeated exposure No data available

**Aspiration hazard** No data available

# **11.2 Additional Information**

#### **Endocrine disrupting properties**

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 103 Weeks - NOAEL (No observed adverse effect level) - 400 mg/kg Remarks: (ECHA)

#### RTECS: CU4375000

Central nervous system depression, Prolonged or repeated exposure to skin causes defatting and dermatitis., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

Damage to:

Kidney

Systemic effects:

Headache Drowsiness Convulsions Dizziness Shortness of breath Unconsciousness narcosis

Other dangerous properties can not be excluded.

Sigma-Aldrich- B1334

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 9 of 14

Handle in accordance with good industrial hygiene and safety practice.

Liver - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish	flow-through test LC50 - Lepomis macrochirus - 1,07 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 19,7 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata - 33,1 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test IC50 - activated sludge - 759,3 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to fish(Chronic toxicity)	flow-through test NOEC - Pimephales promelas (fathead minnow) - 0,12 mg/l - 7 d Remarks: (ECHA)

#### 12.2 Persistence and degradability

Biodegradability

aerobic - Exposure time 28 d Result: 95 % - Readily biodegradable. (OECD Test Guideline 301B)

# 12.3 Bioaccumulative potential

No data available

**12.4 Mobility in soil** No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **12.6 Endocrine disrupting properties**

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

Forms toxic mixtures in water, dilution measures notwithstanding. Discharge into the environment must be avoided.

Sigma-Aldrich- B1334

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 10 of 14

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport informat	ion		
14.1 UN number			
ADR/RID: 1990	IMDG: 1990	IATA: 1990	
<b>14.2UN proper shipping name</b> ADR/RID:ADR/RID:BENZALDEHYDEIMDG:BENZALDEHYDEIATA:Benzaldehyde			
<b>14.3 Transport hazard class(es)</b> ADR/RID: 9	IMDG: 9	IATA: 9	
14.4 Packaging group ADR/RID: III	IMDG: III	IATA: III	
14.5 Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no	
<b>14.6 Special precautions for use</b> Tunnel restriction code :	<b>r</b> (E)		
Further information :	No data available		

#### SECTION 15: Regulatory information

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **National legislation**

Seveso III: Directive 2012/18/EU of the E2 European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. ENVIRONMENTAL HAZARDS

Sigma-Aldrich- B1334

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 11 of 14

#### **Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

#### **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H360D May damage the unborn child.
- H411 Toxic to aquatic life with long lasting effects.

Sigma-Aldrich- B1334

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 12 of 14

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- B1334

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 13 of 14

Sigma-Aldrich- B1334

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 14 of 14