

**SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 6.6

Revision Date 16.02.2023

Print Date 03.05.2024

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name	:	Isopropyl methyl ketone for synthesis
Product Number	:	8.05966
Catalogue No.	:	805966
Brand	:	Millipore
Index-No.	:	606-007-00-0
REACH No.	:	A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.
CAS-No.	:	563-80-4

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Chemical for synthesis

**1.3 Details of the supplier of the safety data sheet**

Company : Merck Life Science S.r.l.  
Via Monte Rosa 93  
I-20149 MILANO

Telephone : +39 02 3341 7340  
Fax : +39 02 3801 0737  
E-mail address : serviziotecnico@merckgroup.com

**1.4 Emergency telephone**

Emergency Phone # : 800-789-767 (CHEMTREC Italia)  
+39-02-4555-7031 (CHEMTREC chiamate internazionali)  
+39 02-6610-1029 (Centro Antiveleni Niguarda Ca' Granda - Milano)

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Flammable liquids (Category 2), H225

For the full text of the H-Statements mentioned in this Section, see Section 16.



## 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal Word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapor.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

Supplemental Hazard Statements none

### Reduced Labeling (<= 125 ml)

Pictogram



Signal Word Danger

Hazard statement(s) none

Precautionary statement(s) none

Supplemental Hazard Statements none

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Formula : C<sub>5</sub>H<sub>10</sub>O  
Molecular weight : 86,13 g/mol  
CAS-No. : 563-80-4  
EC-No. : 209-264-3  
Index-No. : 606-007-00-0

No components need to be disclosed according to the applicable regulations.

For the full text of the H-Statements mentioned in this Section, see Section 16.



---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>) Foam Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

### 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.



---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.  
For personal protection see section 8.

### **6.2 Environmental precautions**

Do not let product enter drains. Risk of explosion.

### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

#### **Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### **Hygiene measures**

Change contaminated clothing. Wash hands after working with substance.  
For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Recommended storage temperature see product label.

#### **Storage class**

Storage class (TRGS 510): 3: Flammable liquids

### **7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Ingredients with workplace control parameters**

### **8.2 Exposure controls**

#### **Personal protective equipment**

##### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses



### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0,7 mm

Break through time: 120 min

Material tested: Butoject® (KCL 898)

### **Body Protection**

Flame retardant antistatic protective clothing.

### **Respiratory protection**

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Control of environmental exposure**

Do not let product enter drains. Risk of explosion.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

a) Physical state	liquid
b) Color	colorless
c) Odor	fruity
d) Melting point/freezing point	Melting point: -92 °C at 1.013 hPa
e) Initial boiling point and boiling range	93 - 95 °C at 1.013 hPa
f) Flammability (solid, gas)	No data available
g) Upper/lower flammability or explosive limits	Upper explosion limit: 9 %(V) Lower explosion limit: 1,5 %(V)
h) Flash point	-1 °C
i) Autoignition temperature	No data available
j) Decomposition temperature	No data available
k) pH	No data available
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: 0,5 mPa.s at 25 °C - OECD Test Guideline 114



- |  |   |
|--|---|
| m) Water solubility                          | 8,21 g/l at 20 °C - OECD Test Guideline 105               |
| n) Partition coefficient:<br>n-octanol/water | log Pow: 2,29 at 20 °C - Bioaccumulation is not expected. |
| o) Vapor pressure                            | 53,33 hPa at 19,9 °C                                      |
| p) Density                                   | 0,80 g/cm <sup>3</sup> at 20 °C                           |
| Relative density                             | No data available   |
| q) Relative vapor<br>density                 | No data available   |
| r) Particle<br>characteristics               | No data available   |
|  |   |
| s) Explosive properties                      | No data available   |
| t) Oxidizing properties                      | No data available   |

## 9.2 Other safety information

- |                 |   |
|-----------------|---|
| Surface tension | 24,3 mN/m at 22 °C<br>- Surface tension |
|-----------------|---|

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Vapors may form explosive mixture with air.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents  
strong reducing agents  
alkaline substances  
sodium

### 10.4 Conditions to avoid

Warming.

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

In the event of fire: see section 5



---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - > 2.000 mg/kg  
(OECD Test Guideline 401)

Symptoms: Nausea, Vomiting, Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract., Aspiration may cause pulmonary edema and pneumonitis.

LC50 Inhalation - Rat - male and female - 4 h - 34,25 mg/l - vapor

(OECD Test Guideline 403)

LCLo Inhalation - Rat - 4 h - 20,4 mg/l

Remarks: (RTECS)

LD50 Dermal - Rabbit - 6.350 mg/kg

Remarks: (RTECS)

Dermal: absorption

#### Skin corrosion/irritation

Skin - Rabbit

Result: slight irritation

Remarks: (External MSDS)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: slight irritation

Remarks: (External MSDS)

#### Respiratory or skin sensitization

Sensitisation test: - Guinea pig

Result: Does not cause skin sensitization.

Remarks: (ECHA)

#### Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: Mouse lymphoma test

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure



No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption:

We have no description of any toxic symptoms.

Other information

The following applies to ketones in general: when vapours/aerosols occur, mucosal irritations, coughing, and dyspnoea after inhalation. The absorption of large quantities leads to: CNS depression (narcosis). Repeated skin contact leads to a degreasing effect, with secondary inflammation possible. Toxic effects on the liver and kidneys cannot be excluded after high doses. The inhalation of droplets may result in the formation of oedemas in the respiratory tract.

Further data:

Handle in accordance with good industrial hygiene and safety practice.

---

**SECTION 12: Ecological information**

**12.1 Toxicity**

Toxicity to fish	flow-through test LC50 - <i>Oncorhynchus mykiss</i> (rainbow trout) - > 68 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - <i>Daphnia magna</i> (Water flea) - > 81 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - <i>Pseudokirchneriella subcapitata</i> (green algae) - 44,23 mg/l - 72 h (OECD Test Guideline 201)

**12.2 Persistence and degradability**

Biodegradability	aerobic - Exposure time 28 d Result: 84 % - Readily biodegradable. (OECD Test Guideline 301D)
------------------	---

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

Millipore- 8.05966

Page 8 of 11

The life science business of Merck operates as MilliporeSigma in the US and Canada





This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

Discharge into the environment must be avoided.

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Product

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

### SECTION 14: Transport information

#### 14.1 UN number

ADR/RID: 2397

IMDG: 2397

IATA: 2397

#### 14.2 UN proper shipping name

ADR/RID: 3-METHYLBUTAN-2-ONE

IMDG: 3-METHYLBUTAN-2-ONE

IATA: 3-Methylbutan-2-one

#### 14.3 Transport hazard class(es)

ADR/RID: 3

IMDG: 3

IATA: 3

#### 14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

#### 14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

#### 14.6 Special precautions for user

Tunnel restriction code : (D/E)

Further information : No data available

---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

##### National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : FLAMMABLE LIQUIDS



## Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

---

## SECTION 16: Other information

### Full text of H-Statements referred to under sections 2 and 3.

H225                      Highly flammable liquid and vapor.

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See



www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

